


FOREX COMPUTER CORPORATION

80386SX-25/33

Processor	80386SX
Processor Speed	25/33MHz
Chip Set	Forex
Max. Onboard DRAM	16MB
Cache	16/64KB
BIOS	AMI
Dimensions	330mm x 218mm
I/O Options	None
NPU Options	80387SX



CONNECTIONS			
Purpose	Location	Purpose	Location
External battery	JP2	Power LED & keylock	JP9
Turbo LED	JP7	Speaker	JP10
Reset switch	JP8	Turbo switch	JP11

Continued on next page . . .

FOREX COMPUTER CORPORATION

80386SX-25/33

... continued from previous page

USER CONFIGURABLE SETTINGS

Function	Jumper	Position
í Monitor type select monochrome	JP3	Closed
Monitor type select color	JP3	Open
í Factory configured - do not alter	JP12	Closed
í CMOS memory normal operation	JP13	Open
CMOS memory clear	JP13	Closed

DRAM CONFIGURATION

Size	Bank 0	Bank 1	Bank 2	Bank 3
1MB	(2) 256K x 9	(2) 256K x 9	NONE	NONE
2MB	(2) 256K x 9	(2) 256K x 9	(2) 256K x 9	(2) 256K x 9
3MB	(2) 256K x 9	(2) 256K x 9	(2) 1M x 9	NONE
4MB	(2) 1M x 9	(2) 1M x 9	NONE	NONE
5MB	(2) 256K x 9	(2) 256K x 9	(2) 1M x 9	(2) 1M x 9
6MB	(2) 1M x 9	(2) 1M x 9	(2) 1M x 9	NONE
8MB	(2) 1M x 9	(2) 1M x 9	(2) 1M x 9	(2) 1M x 9
8MB	(2) 4M x 9	NONE	NONE	NONE
9MB	(2) 256K x 9	(2) 256K x 9	(2) 4M x 9	NONE
10MB	(2) 1M x 9	(2) 4M x 9	NONE	NONE
12MB	(2) 1M x 9	(2) 1M x 9	(2) 4M x 9	NONE
16MB	(2) 4M x 9	(2) 4M x 9	NONE	NONE

CACHE CONFIGURATION

Size	Bank 0	TAG (U15)	TAG (U16)
16KB	(2) 8K x 8	NONE	(1) 8K x 8
64KB	(2) 32K x 8	(1) 8K x 8	(1) 8K x 8

CACHE JUMPER CONFIGURATION

Size	JP6A	JP6B
16KB	pins 1 & 2 closed	pins 1 & 2 closed
64KB	pins 2 & 3 closed	pins 2 & 3 closed