


WYSE TECHNOLOGY, INC.

WYSE DECISION 386/25

Processor	80386DX
Processor Speed	25MHz
Chip Set	WYSE
Max. Onboard DRAM	32MB
Cache	64/128KB
BIOS	WYSE
Dimensions	330mm x 218mm
I/O Options	None
NPU Options	80387/3167



CONNECTIONS			
Purpose	Location	Purpose	Location
External battery	J9	Speaker	J14
Turbo LED	J12	Turbo switch	J15
Power LED & keylock	J13	Reset switch	J16

Continued on next page . . .

WYSE TECHNOLOGY, INC.
WYSE DECISION 386/25

... continued from previous page

USER CONFIGURABLE SETTINGS		
Function	Jumper	Position
f Monitor type select color	JMP1	Closed
Monitor type select monochrome	JMP1	Open
f Factory test enabled	JMP3	Open
Factory test disabled	JMP3	Closed
f CMOS memory normal operation	JMP4	pins 2 & 3 closed
CMOS memory clear	JMP4	pins 1 & 2 closed

DRAM CONFIGURATION				
Size	Bank 0	Bank 1	Bank 2	Bank 3
1MB	(1) 256K x 36	NONE	NONE	NONE
2MB	(1) 512K x 36	NONE	NONE	NONE
3MB	(1) 512K x 36	(1) 256K x 36	NONE	NONE
4MB	(1) 512K x 36	(1) 512K x 36	NONE	NONE
4MB	(1) 1M x 36	NONE	NONE	NONE
5MB	(1) 512K x 36	(1) 512K x 36	(1) 256K x 36	NONE
5MB	(1) 1M x 36	(1) 256K x 36	NONE	NONE
6MB	(1) 512K x 36	(1) 512K x 36	(1) 512K x 36	NONE
6MB	(1) 1M x 36	(1) 512K x 36	NONE	NONE
7MB	(1) 1M x 36	(1) 512K x 36	(1) 256K x 36	NONE
7MB	(1) 512K x 36	(1) 512K x 36	(1) 512K x 36	(1) 256K x 36
8MB	(1) 512K x 36	(1) 512K x 36	(1) 512K x 36	(1) 512K x 36
8MB	(1) 1M x 36	(1) 512K x 36	(1) 512K x 36	NONE
9MB	(1) 1M x 36	(1) 512K x 36	(1) 512K x 36	(1) 256K x 36
9MB	(1) 2M x 36	(1) 256K x 36	NONE	NONE
10MB	(1) 1M x 36	(1) 512K x 36	(1) 512K x 36	(1) 512K x 36
10MB	(1) 2M x 36	(1) 512K x 36	NONE	NONE
11MB	(1) 2M x 36	(1) 512K x 36	(1) 256K x 36	NONE
12MB	(1) 2M x 36	(1) 512K x 36	(1) 512K x 36	NONE
13MB	(1) 2M x 36	(1) 512K x 36	(1) 512K x 36	(1) 256K x 36
14MB	(1) 2M x 36	(1) 512K x 36	(1) 512K x 36	(1) 512K x 36
15MB	(1) 2M x 36	(1) 1M x 36	(1) 512K x 36	(1) 256K x 36
16MB	(1) 2M x 36	(1) 1M x 36	(1) 512K x 36	(1) 512K x 36
16MB	(1) 2M x 36	(1) 2M x 36	NONE	NONE
17MB	(1) 2M x 36	(1) 2M x 36	(1) 256K x 36	NONE
18MB	(1) 2M x 36	(1) 2M x 36	(1) 512K x 36	NONE
19MB	(1) 2M x 36	(1) 2M x 36	(1) 512K x 36	(1) 256K x 36
20MB	(1) 2M x 36	(1) 2M x 36	(1) 512K x 36	(1) 512K x 36
20MB	(1) 2M x 36	(1) 2M x 36	(1) 1M x 36	NONE
21MB	(1) 2M x 36	(1) 2M x 36	(1) 1M x 36	(1) 256K x 36
22MB	(1) 2M x 36	(1) 2M x 36	(1) 1M x 36	(1) 512K x 36
24MB	(1) 2M x 36	(1) 2M x 36	(1) 2M x 36	NONE
25MB	(1) 2M x 36	(1) 2M x 36	(1) 2M x 36	(1) 256K x 36
26MB	(1) 2M x 36	(1) 2M x 36	(1) 2M x 36	(1) 512K x 36
28MB	(1) 2M x 36	(1) 2M x 36	(1) 2M x 36	(1) 1M x 36
32MB	(1) 2M x 36	(1) 2M x 36	(1) 2M x 36	(1) 2M x 36

WYSE TECHNOLOGY, INC.**WYSE DECISION 386/25***... continued from previous page*

CACHE CONFIGURATION		
Size	Bank 0	Bank 1
64KB	(8) 8K x 8	NONE
128KB	(8) 8K x 8	(8) 8K x 8

CACHE JUMPER CONFIGURATION	
Size	JMP6
64KB	pins 2 & 3 closed
128KB	pins 1 & 2 closed