


COMPAQ COMPUTER CORPORATION

DESKPRO 386/25E (MODEL 001427)

Processor	80386DX
Processor Speed	25MHz
Chip Set	Compaq
Max. Onboard DRAM	4MB
Cache	None
BIOS	Compaq
Dimensions	330mm x 332mm
I/O Options	VGA feature connector, proprietary system memory card slot, proprietary system memory module interface, VGA port, parallel port, serial port, bus mouse port, IDE interface, floppy drive/tape drive interface
NPU Options	3167



Continued on next page . . .

COMPAQ COMPUTER CORPORATION

DESKPRO 386/25E (MODEL 001427)


... continued from previous page

CONNECTIONS			
Purpose	Location	Purpose	Location
Bus mouse port	CN1	IDE interface	IDE
Parallel port	CN2	Proprietary system processor card	M1
Serial port	CN3	System memory module	M2A & M2B
VGA port	CN4	Main power	P0
Cooling fan	FAN	Drive power plugs	P1-P3
3.5 inch floppy drive interface	FD1	Speaker	SPK
Floppy drive interface	FD2	VGA feature card	V1

USER CONFIGURABLE SETTINGS		
Function	Switch	Position
Onboard VGA controller enabled	SW1/1	On
Onboard VGA controller disabled	SW1/1	Off
í Password enabled	SW1/2	On
Password disabled	SW1/2	Off

DRAM CONFIGURATION	
Size	M2A & M2B
1MB	Install a 1MB proprietary memory module
4MB	Install a 4MB proprietary memory module

SYSTEM MEMORY CARD (Model 113644-001)




OPTIONAL MEMORY CARD CONFIGURATION		
Total card memory	M0	M0
1MB (installed on card)	NONE	NONE
2MB	1MB module	NONE
3MB	1MB module	1MB module
5MB	4MB module	NONE
9MB	4MB module	4MB module

Continued on next page ...

COMPAQ COMPUTER CORPORATION
DESKPRO 386/25E (MODEL 001427)
SYSTEM MEMORY CARD (MODEL 113645-001)

... continued from previous page



OPTIONAL MEMORY CARD CONFIGURATION		
Total card memory	M0	M0
4MB (installed on card)	NONE	NONE
5MB	1MB module	NONE
6MB	1MB module	1MB module
8MB	4MB module	NONE
12MB	4MB module	4MB module