


ADVANCED LOGIC RESEARCH, INC. POWERPRO SERIES

Processor	80486DX/ODP486SX/80486DX2
Processor Speed	25/33/50(internal)/66(internal)MHz
Chip Set	ALR
Max. Onboard DRAM	49MB
Cache	None (512KB on external CPU/NPU/Cache module)
BIOS	Phoenix
Dimensions	330mm x 218mm
I/O Options	32-bit external CPU/NPU/Cache module slots (2), floppy interface, IDE interface, parallel port, serial port (2), SVGA port
NPU Options	None



Continued on next page . . .

ADVANCED LOGIC RESEARCH, INC.

POWERPRO SERIES

... continued from previous page

CONNECTIONS			
Purpose	Location	Purpose	Location
Bus mouse port	CN1	Power LED	LED
Parallel port	CN2	32-bit external CPU/NPU/Cache module (primary)	MP1
Serial port 1	CN3	32-bit external CPU/NPU/Cache module (secondary)	MP2
Serial port 2	CN4	Front panel	PNL
Floppy drive interface	FDD	Reset switch	RST
IDE interface	IDE	Speaker	SPK

DRAM CONFIGURATION				
Size	Bank 0	Bank 1	Bank 2	Bank 3
1MB	(8) 411000	NONE	NONE	NONE
5MB	(8) 411000	(4) 1M x 9	NONE	NONE
6MB	(8) 411000	(4) 256K x 9	(4) 1M x 9	NONE
7MB	(8) 411000	(4) 256K x 9	(4) 256K x 9	(4) 1M x 9
9MB	(8) 411000	(4) 1M x 9	(4) 1M x 9	NONE
10MB	(8) 411000	(4) 256K x 9	(4) 1M x 9	(4) 1M x 9
13MB	(8) 411000	(4) 1M x 9	(4) 1M x 9	(4) 1M x 9
17MB	(8) 411000	(4) 4M x 9	NONE	NONE
21MB	(8) 411000	(4) 1M x 9	(4) 4M x 9	NONE
33MB	(8) 411000	(4) 4M x 9	(4) 4M x 9	NONE
37MB	(8) 411000	(4) 1M x 9	(4) 4M x 9	(4) 4M x 9
49MB	(8) 411000	(4) 4M x 9	(4) 4M x 9	(4) 4M x 9