


# DELL COMPUTER CORPORATION SYSTEM 333D

<b>Processor</b>	80386DX
<b>Processor Speed</b>	33MHz
<b>Chip Set</b>	VLSI
<b>Max. Onboard DRAM</b>	32MB (16MB on external memory card)
<b>Cache</b>	None
<b>BIOS</b>	AMI
<b>Dimensions</b>	330mm x 218mm
<b>I/O Options</b>	External memory card, floppy drive interface, IDE interface, parallel port, PS/2 mouse port, serial ports (2), VGA feature connector, VGA port
<b>NPU Options</b>	80387DX/3167



Continued next page. . .

# DELL COMPUTER CORPORATION

## SYSTEM 333D

... continued from previous page

CONNECTIONS			
Purpose	Location	Purpose	Location
PS/2 mouse port	CN1	VGA feature connector	CN6
Serial port 1	CN2	IDE interface	CN7
Serial port 2	CN3	Floppy drive interface	CN8
Parallel port	CN4	SmartVu connector	CN9
VGA port	CN5	External battery	CN10

USER CONFIGURABLE SETTINGS		
Function	Jumper	Position
í Factory configured - do not alter	CN11	Open
í CMOS memory normal operation	J1	Open
CMOS memory clear	J1	Closed
í Monitor type select color	J2	Closed
Monitor type select monochrome	J2	Open
í Factory configured - do not alter	J3	Open
í Password enabled	J4	Closed
Password disabled	J4	Open
í Single IDE drive installed	J5	Closed
Dual IDE drives installed	J5	Open
í IDE interface on board	J6	Open
IDE interface on expansion card	J6	Closed
í Multisync monitor not used	J7	Open
Multisync monitor used	J7	Closed
í On board VGA uses IRQ9	J8	Closed
On board VGA does not use IRQ9	J8	Open
í On board VGA enabled	J11	Closed
On board VGA disabled	J11	Open
í Factory configured - do not alter	J12	Open
í Factory configured - do not alter	J13	Open

DRAM CONFIGURATION				
Size	Bank 0	Bank 1	Bank 2	Bank 3
1MB	(1) 256K x 36	NONE	NONE	NONE
2MB	(1) 256K x 36	(1) 256K x 36	NONE	NONE
3MB	(1) 256K x 36	(1) 256K x 36	(1) 256K x 36	NONE
4MB	(1) 256K x 36	(1) 256K x 36	(1) 256K x 36	(1) 256K x 36
4MB	(1) 1M x 36	NONE	NONE	NONE
5MB	(1) 1M x 36	(1) 256K x 36	NONE	NONE
6MB	(1) 1M x 36	(1) 256K x 36	(1) 256K x 36	NONE
7MB	(1) 1M x 36	(1) 256K x 36	(1) 256K x 36	(1) 256K x 36
8MB	(1) 1M x 36	(1) 1M x 36	NONE	NONE
9MB	(1) 1M x 36	(1) 1M x 36	(1) 256K x 36	NONE
10MB	(1) 1M x 36	(1) 1M x 36	(1) 256K x 36	(1) 256K x 36
12MB	(1) 1M x 36	(1) 1M x 36	(1) 1M x 36	NONE
13MB	(1) 1M x 36	(1) 1M x 36	(1) 1M x 36	(1) 256K x 36
16MB	(1) 1M x 36	(1) 1M x 36	(1) 1M x 36	(1) 1M x 36

*Continued next page. . .*

# DELL COMPUTER CORPORATION SYSTEM 333D

... continued from previous page

IDE DRIVE CONFIGURATION		
Type	J9	J10
Old version	Open	Closed
New version	Closed	Open
Note: Old version drives were manufactured before 1/89.		