


ADVANCED LOGIC RESEARCH, INC. EVOLUTION V ST

Processor	Pentium
Processor Speed	60/66MHz
Chip Set	Unidentified
Max. Onboard DRAM	128MB
Cache	256KB
BIOS	Unidentified
Dimensions	355mm x 305mm
I/O Options	32-bit VESA local bus slots (3), floppy drive interface, IDE interfaces (2), parallel port, PS/2 mouse port, serial ports (2)
NPU Options	None



CONNECTIONS			
Purpose	Location	Purpose	Location
PS/2 mouse port	CN1	IDE interface 1	CN5
Serial port 1	CN2	IDE interface 2	CN6
Serial port 2	CN3	Floppy drive interface	CN7
Parallel port	CN4	32-bit VESA local bus slots	SL1 - SL3

Continued on next page. . .

ADVANCED LOGIC RESEARCH, INC.
EVOLUTION V ST

... continued from previous page

DRAM CONFIGURATION				
Size	Bank 0	Bank 1	Bank 2	Bank 3
2MB	(2) 256K x 36	NONE	NONE	NONE
4MB	(2) 512K x 36	NONE	NONE	NONE
4MB	(2) 256K x 36	(2) 256K x 36	NONE	NONE
6MB	(2) 256K x 36	(2) 512K x 36	NONE	NONE
8MB	(2) 256K x 36	(2) 256K x 36	(2) 256K x 36	(2) 256K x 36
8MB	(2) 512K x 36	(2) 512K x 36	NONE	NONE
8MB	(2) 1M x 36	NONE	NONE	NONE
10MB	(2) 256K x 36	(2) 1M x 36	NONE	NONE
12MB	(2) 512K x 36	(2) 1M x 36	NONE	NONE
12MB	(2) 256K x 36	(2) 1M x 36	NONE	(2) 256K x 36
16MB	(2) 2M x 36	NONE	NONE	NONE
16MB	(2) 1M x 36	(2) 1M x 36	NONE	NONE
18MB	(2) 256K x 36	(2) 2M x 36	NONE	NONE
18MB	(2) 256K x 36	(2) 1M x 36	(2) 1M x 36	NONE
20MB	(2) 512K x 36	(2) 2M x 36	NONE	NONE
20MB	(2) 256K x 36	(2) 1M x 36	(2) 1M x 36	(2) 256K x 36
24MB	(2) 1M x 36	(2) 2M x 36	NONE	NONE
24MB	(2) 1M x 36	(2) 1M x 36	(2) 1M x 36	NONE
32MB	(2) 4M x 36	NONE	NONE	NONE
32MB	(2) 2M x 36	(2) 2M x 36	NONE	NONE
32MB	(2) 1M x 36	(2) 1M x 36	(2) 1M x 36	(2) 1M x 36
34MB	(2) 256K x 36	(2) 4M x 36	NONE	NONE
36MB	(2) 512K x 36	(2) 4M x 36	NONE	NONE
36MB	(2) 256K x 36	(2) 4M x 36	NONE	(2) 256K x 36
40MB	(2) 1M x 36	(2) 4M x 36	NONE	NONE
48MB	(2) 2M x 36	(2) 4M x 36	NONE	NONE
48MB	(2) 1M x 36	(2) 4M x 36	NONE	(2) 1M x 36
64MB	(2) 8M x 36	NONE	NONE	NONE
64MB	(2) 4M x 36	(2) 4M x 36	NONE	NONE
66MB	(2) 256K x 36	(2) 8M x 36	NONE	NONE
66MB	(2) 256K x 36	(2) 4M x 36	(2) 4M x 36	NONE
68MB	(2) 512K x 36	(2) 8M x 36	NONE	NONE
68MB	(2) 256K x 36	(2) 4M x 36	(2) 4M x 36	(2) 256K x 36
72MB	(2) 1M x 36	(2) 8M x 36	NONE	NONE
72MB	(2) 1M x 36	(2) 4M x 36	(2) 4M x 36	NONE
80MB	(2) 2M x 36	(2) 8M x 36	NONE	NONE
80MB	(2) 1M x 36	(2) 4M x 36	(2) 4M x 36	(2) 1M x 36
96MB	(2) 4M x 36	(2) 8M x 36	NONE	NONE
96MB	(2) 4M x 36	(2) 4M x 36	(2) 4M x 36	NONE
128MB	(2) 8M x 36	(2) 8M x 36	NONE	NONE
128MB	(2) 4M x 36	(2) 4M x 36	(2) 4M x 36	(2) 4M x 36

CACHE CONFIGURATION	
Size	Bank 0
256KB	(8) 32K x 8
Note: Cache is factory installed and is not configurable.	

