


TANDON CORPORATION

MODEL 189230

| | |
|-------------------------------|-----------------------------------|
| Processor | 80286 |
| Processor Speed | 6/8/10MHz |
| Chip Set | Unidentified |
| Maximum Onboard Memory | 3MB (2MB on external memory card) |
| Cache | None |
| BIOS | Unidentified |
| Dimensions | 355mm x 305mm |
| I/O Options | None |
| NPU Options | 80287 |



Continued on next page...

TANDON CORPORATION MODEL 189230


... continued from previous page

| USER CONFIGURABLE SETTINGS | | |
|-------------------------------------|-------|----------|
| Setting | Label | Position |
| í Factory configured - do not alter | SW1/1 | N/A |
| í Factory configured - do not alter | SW1/2 | N/A |
| í Video type select 80 characters | SW1/3 | Off |
| í Factory configured - do not alter | SW1/4 | Off |
| í Factory configured - do not alter | SW1/5 | N/A |
| í Factory configured - do not alter | SW1/6 | N/A |
| í Factory configured - do not alter | SW1/7 | N/A |

DRAM

Note: The orientation and chip sizes are unidentified.

| DRAM SWITCH | | |
|----------------|------------|-------|
| Expansion size | Total size | SW1/8 |
| 128KB | 640KB | Off |
| 512KB | 1MB | On |



| DRAM | | | | |
|-------|------------|------------|------------|------------|
| Size | Bank 0 | Bank 1 | Bank 2 | Bank 3 |
| 512KB | (18) 41256 | None | None | None |
| 1MB | (18) 41256 | (18) 41256 | None | None |
| 1.5MB | (18) 41256 | (18) 41256 | (18) 41256 | None |
| 2MB | (18) 41256 | (18) 41256 | (18) 41256 | (18) 41256 |

Continued on next page...

TANDON CORPORATION

MODEL 189230

... continued from previous page

| DRAM SWITCH (CON'T) | | | | | | |
|---------------------|---------------|-------|-------|-------|-------|-------|
| Memory before | Memory after | SW1/1 | SW1/2 | SW1/3 | SW1/4 | SW1/5 |
| 512-640KB | 2560-2688KB | Off | Off | Off | On | Off |
| 1024KB | 3072KB | Off | Off | Off | On | On |
| 2560-2688KB | 4608-4736KB | Off | Off | On | On | Off |
| 3072KB | 5120KB | Off | Off | On | On | On |
| 4608-4736KB | 6656-6784KB | Off | On | Off | On | Off |
| 5120KB | 7168KB | Off | On | Off | On | On |
| 656-6784KB | 8704-8832KB | Off | On | On | On | Off |
| 7168KB | 9216KB | Off | On | On | On | On |
| 8704-8832KB | 10752-10880KB | On | Off | Off | On | Off |
| 9216KB | 11264KB | On | Off | Off | On | On |
| 10752-10880KB | 12800-12928KB | On | Off | On | On | Off |
| 11264KB | 13312KB | On | Off | On | On | On |
| 12800-12928KB | 14848-14976KB | On | On | Off | On | Off |
| 13312KB | 15360KB | On | On | Off | On | On |
| 14848-14976KB | 15744KB | On | On | On | On | Off |
| 15360KB | 15744KB | On | On | On | On | On |

MISCELLANEOUS TECHNICAL NOTE

The location of pin 1 is unidentified.