


# Twin Socket



## SST-5871AT VIA APOLLO PRO133 ATX MOTHERBOARD



### SPECIFICATION : -



DMI COMPLY



#### Software Bundle



Processor	<ul style="list-style-type: none"> <li>- Intel® Pentium® III &amp; Celeron® (66/100/133Mhz Front Side Bus) (PGA370 Type).</li> <li>- 300/333/350/366/400/433/450/466/500/533/550/600/650/667/700MHz or above.</li> </ul>
Chip Set	<ul style="list-style-type: none"> <li>- VIA® Apollo Pro133 (686A + 693A).</li> </ul>
BIOS	<ul style="list-style-type: none"> <li>- 2M Flash EPROM (Support PnP, APM, ACPI, ATAPI, DMI).</li> <li>- IDE AUTO LBA Mode Supports HDDs over 8.4GB.</li> <li>- Trend Micro ChipAway Virus Protection.</li> </ul>
Cache Memory	<ul style="list-style-type: none"> <li>- L2 Cache is CPU Built-in.</li> <li>- Size up to 768MB.</li> <li>- Three 168-pins DIMMs.</li> <li>- Synchronous DRAM (SDRAM).</li> <li>- DIMMs Depth of 1MB, 2MB, 4MB, 8MB, 16MB and 32MB.</li> </ul>
On Board I/O	<ul style="list-style-type: none"> <li>- Support Two PCI Enhanced IDEs PIO Mode 3, Mode 4 and Ultra DMA 33/66 Channels (Optional Ultra DMA 66 Cable). Twin Headers for Four IDE Devices Including IDE HDDs and CDROMs.</li> <li>- Support Two FDDs of 360KB, 720KB, 1.2MB, 1.44MB or 2.88MB.</li> <li>- One ECP/EPP Parallel Port, Two 16550A UART Serial Ports, Two USB Ports, PS/2 Mouse Port, PS/2 Keyboard Port.</li> </ul>
On Board Sound	<ul style="list-style-type: none"> <li>- Integrated AC97 Controller with Standard AC97 Codec.</li> <li>- PnP, Full-Duplex, Sound Blaster 16 Compatible, Direct Sound Ready.</li> <li>- Line-in, Line-out, Mic-in and MIDI/Game Port .</li> </ul>
Expansion Slot	<ul style="list-style-type: none"> <li>- Two ISA Bus Slots (One PCI Shared Slot).</li> <li>- Four PCI Bus Slots (One ISA Shared Slot).</li> <li>- One Accelerated Graphics Port (AGP).</li> <li>- One Audio Modem Riser (AMR).</li> </ul>
Plug and Play	<ul style="list-style-type: none"> <li>- Plug and Play Specification 1.1.</li> <li>- Plug and Play for DOS®, Windows® 3.x, and Windows® 95.</li> </ul>
PC97/98	<ul style="list-style-type: none"> <li>- PC97/98 Ready, PC99 Color Connector.</li> </ul>
Power Management	<ul style="list-style-type: none"> <li>- Support SMM, APM and ACPI.</li> <li>- Comply to Energy Star "Green PC" Program.</li> <li>- Supports Modem Ring-in Wake Up.</li> </ul>
PCI	<ul style="list-style-type: none"> <li>- PCI 2.1.</li> </ul>
AGP	<ul style="list-style-type: none"> <li>- AGP 1.0.</li> </ul>
VRM	<ul style="list-style-type: none"> <li>- On Board VRM 8.4.</li> </ul>
Battery	<ul style="list-style-type: none"> <li>- On-board Lithium Battery.</li> </ul>
Others	<ul style="list-style-type: none"> <li>- CPU Frequency Multiplier Jumperless (Optional).</li> <li>- Alarm Wake-up</li> <li>- Bundle "PC-cillin 6" Anti Virus Software</li> </ul>
Board Size	<ul style="list-style-type: none"> <li>- 173mm x 305mm, ATX Form Factor.</li> </ul>