




# P5B Pro



- ASRock DuraCap (2.5 x longer life time), 100% Japan made quality conductive polymer capacitors
- Compatible with all FSB 1333 MHz CPUs
- Supports 2 x IEEE 1394 ports, PCIE Gigabit LAN
- 7.1 CH Windows® Vista™ Premium Level HD Audio (VIA® Audio Codec)
- Supports ASRock Instant Boot, Instant Flash, OC Tuner, Sn Intelligent Energy Saver

This model may not be sold worldwide. Please contact your local dealer for availability of this model in your region.



Specification

Support

Download

BIOS

Manual

FAQ

CPU Support List

Memory QVL

## CPU Support List

| Socket | Family         | Number     | Core       | Frequency | FSB     | Cache | Power | Validate |
|--------|----------------|------------|------------|-----------|---------|-------|-------|----------|
| 775    | Core 2 Extreme | QX9650(C1) | Yorkfield  | 3.0GHz    | 1333MHz | 12MB  |       | A        |
| 775    | Core 2 Extreme | QX9650(C0) | Yorkfield  | 3.0GHz    | 1333MHz | 12MB  |       | A        |
| 775    | Core 2 Extreme | QX6850(G0) | Kentsfield | 3.00GHz   | 1333MHz | 8MB   |       | A        |
| 775    | Core 2 Extreme | QX6800(G0) | Kentsfield | 2.93GHz   | 1066MHz | 8MB   |       | A        |
| 775    | Core 2 Extreme | QX6700(B3) | Kentsfield | 2.66GHz   | 1066MHz | 8MB   |       | A        |
| 775    | Core 2 Extreme | X6800      | Conroe XE  | 2.93GHz   | 1066MHz | 4MB   |       | A        |
| 775    | Core 2 Quad    | Q9650(E0)  | Yorkfield  | 3.0GHz    | 1333MHz | 12MB  |       | A        |
| 775    | Core 2 Quad    | Q9550(C1)  | Yorkfield  | 2.83GHz   | 1333MHz | 12MB  |       | A        |
| 775    | Core 2 Quad    | Q9550(E0)  | Yorkfield  | 2.83GHz   | 1333MHz | 12MB  |       | A        |
| 775    | Core 2 Quad    | Q9550(C0)  | Yorkfield  | 2.83GHz   | 1333MHz | 12MB  |       | A        |
| 775    | Core 2 Quad    | Q9505S(R0) | Yorkfield  | 2.83GHz   | 1333MHz | 6MB   |       | A        |
| 775    | Core 2 Quad    | Q9505(R0)  | Yorkfield  | 2.83GHz   | 1333MHz | 6MB   |       | A        |
| 775    | Core 2 Quad    | Q9450(C1)  | Yorkfield  | 2.66GHz   | 1333MHz | 12MB  |       | A        |
| 775    | Core 2 Quad    | Q9450(C0)  | Yorkfield  | 2.66GHz   | 1333MHz | 12MB  |       | A        |
| 775    | Core 2 Quad    | Q9400(R0)  | Yorkfield  | 2.66GHz   | 1333MHz | 6MB   |       | A        |
| 775    | Core 2 Quad    | Q9300(M1)  | Yorkfield  | 2.50GHz   | 1333MHz | 6MB   |       | A        |
| 775    | Core 2 Quad    | Q9300(M0)  | Yorkfield  | 2.5GHz    | 1333MHz | 6MB   |       | A        |
| 775    | Core 2 Quad    | Q8400S(R0) | Yorkfield  | 2.66GHz   | 1333MHz | 4MB   |       | A        |
| 775    | Core 2 Quad    | Q8400(R0)  | Yorkfield  | 2.66GHz   | 1333MHz | 4MB   |       | A        |
| 775    | Core 2 Quad    | Q8300(R0)  | Yorkfield  | 2.50GHz   | 1333MHz | 4MB   |       | A        |
| 775    | Core 2 Quad    | Q8200(R0)  | Yorkfield  | 2.33GHz   | 1333MHz | 4MB   |       | A        |

| Socket | Family            | Number    | Core       | Frequency | FSB     | Cache | Power | Validate |
|--------|-------------------|-----------|------------|-----------|---------|-------|-------|----------|
| 775    | Core 2 Quad       | Q8200(M1) | Yorkfield  | 2.33GHz   | 1333MHz | 4MB   |       | A        |
| 775    | Core 2 Quad       | Q6700(GO) | Kentsfield | 2.66GHz   | 1066MHz | 8MB   |       | A        |
| 775    | Core 2 Quad       | Q6600(GO) | Kentsfield | 2.4GHz    | 1066MHz | 8MB   |       | A        |
| 775    | Core 2 Quad       | Q6600(B3) | Kentsfield | 2.40GHz   | 1066MHz | 8MB   |       | A        |
| 775    | Core 2 Quad       | Q6400(B3) | Kentsfield | 2.13GHz   | 1066MHz | 8MB   |       | A        |
| 775    | Core 2 Duo        | E8600(E0) | Wolfdale   | 3.33GHz   | 1333MHz | 6MB   |       | A        |
| 775    | Core 2 Duo        | E8500(C0) | Wolfdale   | 3.16GHz   | 1333MHz | 6MB   |       | A        |
| 775    | Core 2 Duo        | E8500(E0) | Wolfdale   | 3.16GHz   | 1333MHz | 6MB   |       | A        |
| 775    | Core 2 Duo        | E8400(C0) | Wolfdale   | 3.0GHz    | 1333MHz | 6MB   |       | A        |
| 775    | Core 2 Duo        | E8400(E0) | Wolfdale   | 3.0GHz    | 1333MHz | 6MB   |       | A        |
| 775    | Core 2 Duo        | E8300(C0) | Wolfdale   | 2.83GHz   | 1333MHz | 6MB   |       | A        |
| 775    | Core 2 Duo        | E8200(C0) | Wolfdale   | 2.66GHz   | 1333MHz | 6MB   |       | A        |
| 775    | Core 2 Duo        | E8190(C0) | Wolfdale   | 2.66GHz   | 1333MHz | 6MB   |       | A        |
| 775    | Core 2 Duo        | E7600(R0) | Wolfdale   | 3.06GHz   | 1066MHz | 3MB   |       | A        |
| 775    | Core 2 Duo        | E7500(R0) | Wolfdale   | 2.93GHz   | 1066MHz | 3MB   |       | A        |
| 775    | Core 2 Duo        | E7400(R0) | Wolfdale   | 2.80GHz   | 1066MHz | 3MB   |       | A        |
| 775    | Core 2 Duo        | E7300(M0) | Wolfdale   | 2.66GHz   | 1066MHz | 3MB   |       | A        |
| 775    | Core 2 Duo        | E7200(M0) | Wolfdale   | 2.53GHz   | 1066MHz | 3MB   |       | A        |
| 775    | Core 2 Duo        | E6850(G0) | Conroe     | 3.00GHz   | 1333MHz | 4MB   |       | A        |
| 775    | Core 2 Duo        | E6850     | Conroe     | 3.00GHz   | 1333MHz | 4MB   |       | A        |
| 775    | Core 2 Duo        | E6750     | Conroe     | 2.66GHz   | 1333MHz | 4MB   |       | A        |
| 775    | Core 2 Duo        | E6750(G0) | Conroe     | 2.66GHz   | 1333MHz | 4MB   |       | A        |
| 775    | Core 2 Duo        | E6700     | Conroe     | 2.66GHz   | 1066MHz | 4MB   |       | A        |
| 775    | Core 2 Duo        | E6600     | Conroe     | 2.40GHz   | 1066MHz | 4MB   |       | A        |
| 775    | Core 2 Duo        | E6550     | Conroe     | 2.33GHz   | 1333MHz | 4MB   |       | A        |
| 775    | Core 2 Duo        | E6540(G0) | Conroe     | 2.33GHz   | 1333MHz | 4MB   |       | A        |
| 775    | Core 2 Duo        | E6420     | Conroe     | 2.13GHz   | 1066MHz | 4MB   |       | A        |
| 775    | Core 2 Duo        | E6400(L2) | Conroe     | 2.13GHz   | 1066MHz | 2MB   |       | A        |
| 775    | Core 2 Duo        | E6400     | Conroe     | 2.13GHz   | 1066MHz | 2MB   |       | A        |
| 775    | Core 2 Duo        | E6320     | Conroe     | 1.86GHz   | 1066MHz | 4MB   |       | A        |
| 775    | Core 2 Duo        | E6300(L2) | Conroe     | 1.86GHz   | 1066MHz | 2MB   |       | A        |
| 775    | Core 2 Duo        | E6300     | Conroe     | 1.86GHz   | 1066MHz | 2MB   |       | A        |
| 775    | Core 2 Duo        | E4700     | Conroe     | 2.6GHz    | 800MHz  | 2MB   |       | A        |
| 775    | Core 2 Duo        | E4600(M0) | Conroe     | 2.4GHz    | 800MHz  | 2MB   |       | A        |
| 775    | Core 2 Duo        | E4600     | Conroe     | 2.4GHz    | 800MHz  | 2MB   |       | A        |
| 775    | Core 2 Duo        | E4500(M0) | Conroe     | 2.20GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Core 2 Duo        | E4400(M0) | Conroe     | 2.0GHz    | 800MHz  | 2MB   |       | A        |
| 775    | Core 2 Duo        | E4400(L2) | Conroe     | 2.00GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Core 2 Duo        | E4300(L2) | Conroe     | 1.80GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium Dual Core | E6800     | Wolfdale   | 3.33GHz   | 1066MHz | 2MB   | 65W   | A        |
| 775    | Pentium Dual Core | E6700(R0) | Wolfdale   | 3.2GHz    | 1066MHz | 2MB   | 65W   | A        |
| 775    | Pentium Dual Core | E6600(R0) | Wolfdale   | 3.06GHz   | 1066MHz | 2MB   | 65W   | A        |
| 775    | Pentium Dual Core | E6500(R0) | Wolfdale   | 2.93GHz   | 1066MHz | 2MB   | 65W   | A        |
| 775    | Pentium Dual Core | E6300(R0) | Wolfdale   | 2.80GHz   | 1066MHz | 2MB   |       | A        |
| 775    | Pentium Dual Core | E5700     | Wolfdale   | 3.0GHz    | 800MHz  | 2MB   | 65W   | A        |
| 775    | Pentium Dual Core | E5500(R0) | Wolfdale   | 2.8GHz    | 800MHz  | 2MB   | 65W   | A        |
| 775    | Pentium Dual Core | E5400(R0) | Wolfdale   | 2.70GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium Dual Core | E5300(R0) | Wolfdale   | 2.60GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium Dual Core | E5200(M0) | Wolfdale   | 2.50GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium Dual Core | E2220(M0) | Conroe 1M  | 2.40GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium Dual Core | E2200(M0) | Conroe 1M  | 2.20GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium Dual Core | E2180(M0) | Conroe 1M  | 2.0GHz    | 800MHz  | 1MB   |       | A        |
| 775    | Pentium Dual Core | E2160     | Conroe 1M  | 1.80GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium Dual Core | E2140     | Conroe 1M  | 1.60GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium Extreme   | 965       | Presler    | 3.73GHz   | 1066MHz | 4MB   |       | A        |
| 775    | Pentium Extreme   | 955       | Presler    | 3.46GHz   | 1066MHz | 4MB   |       | A        |
| 775    | Pentium Extreme   | 840EE(B0) | Smithfield | 3.20GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium Extreme   | 840EE     | Smithfield | 3.20GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium D         | 960(D0)   | Presler    | 3.60GHz   | 800MHz  | 4MB   |       | A        |
| 775    | Pentium D         | 960(C1)   | Presler    | 3.60GHz   | 800MHz  | 4MB   |       | A        |
| 775    | Pentium D         | 950(C1)   | Presler    | 3.40GHz   | 800MHz  | 4MB   |       | A        |
| 775    | Pentium D         | 950       | Presler    | 3.40GHz   | 800MHz  | 4MB   |       | A        |
| 775    | Pentium D         | 945(D0)   | Presler    | 3.40GHz   | 800MHz  | 4MB   |       | A        |

| Socket | Family            | Number    | Core       | Frequency | FSB     | Cache | Power | Validate |
|--------|-------------------|-----------|------------|-----------|---------|-------|-------|----------|
| 775    | Pentium D         | 945       | Presler    | 3.40GHz   | 800MHz  | 4MB   |       | A        |
| 775    | Pentium D         | 940(C1)   | Presler    | 3.20GHz   | 800MHz  | 4MB   |       | A        |
| 775    | Pentium D         | 940       | Presler    | 3.20GHz   | 800MHz  | 4MB   |       | A        |
| 775    | Pentium D         | 935(D0)   | Presler    | 3.20GHz   | 800MHz  | 4MB   |       | A        |
| 775    | Pentium D         | 930(C1)   | Presler    | 3.00GHz   | 800MHz  | 4MB   |       | A        |
| 775    | Pentium D         | 930       | Presler    | 3.00GHz   | 800MHz  | 4MB   |       | A        |
| 775    | Pentium D         | 925       | Presler    | 3.00GHz   | 800MHz  | 4MB   |       | A        |
| 775    | Pentium D         | 920       | Presler    | 2.80GHz   | 800MHz  | 4MB   |       | A        |
| 775    | Pentium D         | 915       | Presler    | 2.80GHz   | 800MHz  | 4MB   |       | A        |
| 775    | Pentium D         | 840       | Smithfield | 3.20GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium D         | 830(B0)   | Smithfield | 3.00GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium D         | 830       | Smithfield | 3.00GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium D         | 820       | Smithfield | 2.80GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium D         | 805       | Smithfield | 2.66GHz   | 533MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | EE        | Prescott   | 3.73GHz   | 1066MHz | 2MB   |       | A        |
| 775    | Pentium 4         | 672       | Prescott   | 3.80GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 670       | Prescott   | 3.80GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 662       | Prescott   | 3.60GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 661(C1)   | Cedar Mill | 3.60GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 661(D0)   | Cedar Mill | 3.60GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 661       | Cedar Mill | 3.60GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 660       | Prescott   | 3.60GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 651(D0)   | Cedar Mill | 3.40GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 651(C1)   | Cedar Mill | 3.40GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 651       | Cedar Mill | 3.40GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 650       | Prescott   | 3.40GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 641(D0)   | Cedar Mill | 3.20GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 641       | Cedar Mill | 3.20GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 640       | Prescott   | 3.20GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 631(D0)   | Cedar Mill | 3.00GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 631       | Cedar Mill | 3.00GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 630       | Prescott   | 3.00GHz   | 800MHz  | 2MB   |       | A        |
| 775    | Pentium 4         | 571       | Prescott   | 3.80GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 570J      | Prescott   | 3.80GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 561       | Prescott   | 3.60GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 560J      | Prescott   | 3.60GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 560       | Prescott   | 3.60GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 551(G1)   | Prescott   | 3.40GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 551       | Prescott   | 3.40GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 550J      | Prescott   | 3.40GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 550       | Prescott   | 3.40GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 541       | Prescott   | 3.20GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 540J      | Prescott   | 3.20GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 540       | Prescott   | 3.20GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 531       | Prescott   | 3.00GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 530J      | Prescott   | 3.00GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 530       | Prescott   | 3.00GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 524(G1)   | Prescott   | 3.06GHz   | 533MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 521       | Prescott   | 2.80GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 520J      | Prescott   | 2.80GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 520       | Prescott   | 2.80GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 519K(G1)  | Prescott   | 3.06GHz   | 533MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 516(G1)   | Prescott   | 2.93GHz   | 533MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 516       | Prescott   | 2.93GHz   | 533MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 515       | Prescott   | 2.93GHz   | 533MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 511       | Prescott   | 2.80GHz   | 533MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 506       | Prescott   | 2.66GHz   | 533MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 506(G1)   | Prescott   | 2.66GHz   | 533MHz  | 1MB   |       | A        |
| 775    | Pentium 4         | 505       | Prescott   | 2.66GHz   | 533MHz  | 1MB   |       | A        |
| 775    | Celeron Dual Core | E3500     | Wolfdale   | 2.7GHz    | 800MHz  | 1MB   | 65W   | A        |
| 775    | Celeron Dual Core | E3400(R0) | Wolfdale   | 2.6GHz    | 800MHz  | 1MB   | 65W   | A        |
| 775    | Celeron Dual Core | E3300(R0) | Wolfdale   | 2.50GHz   | 800MHz  | 1MB   |       | A        |
| 775    | Celeron Dual Core | E3200(R0) | Wolfdale   | 2.40GHz   | 800MHz  | 1MB   |       | A        |

| Socket | Family            | Number  | Core       | Frequency | FSB    | Cache | Power | Validate |
|--------|-------------------|---------|------------|-----------|--------|-------|-------|----------|
| 775    | Celeron Dual Core | E1600   | Conroe     | 2.4GHz    | 800MHz | 512KB |       | A        |
| 775    | Celeron Dual Core | E1500   | Conroe     | 2.2GHz    | 800MHz | 512KB |       | A        |
| 775    | Celeron Dual Core | E1400   | Conroe     | 2.0GHz    | 800MHz | 512KB |       | A        |
| 775    | Celeron Dual Core | E1300   | Conroe     | 1.8GHz    | 800MHz | 512KB |       | A        |
| 775    | Celeron Dual Core | E1200   | Conroe     | 1.6GHz    | 800MHz | 512KB |       | A        |
| 775    | Celeron           | 460     | Conroe-L   | 2.40GHz   | 800MHz | 512KB |       | A        |
| 775    | Celeron           | 450(A1) | Conroe-L   | 2.20GHz   | 800MHz | 512KB |       | A        |
| 775    | Celeron           | 440     | Conroe-L   | 2.00GHz   | 800MHz | 512KB |       | A        |
| 775    | Celeron           | 430     | Conroe-L   | 1.80GHz   | 800MHz | 512KB |       | A        |
| 775    | Celeron           | 420     | Conroe-L   | 1.60GHz   | 800MHz | 512KB |       | A        |
| 775    | Celeron D         | 365(D0) | Cedar Mill | 3.60GHz   | 533MHz | 512KB |       | A        |
| 775    | Celeron D         | 360(D0) | Prescott   | 3.46GHz   | 533MHz | 512KB |       | A        |
| 775    | Celeron D         | 356(C1) | Cedar Mill | 3.33GHz   | 533MHz | 512KB |       | A        |
| 775    | Celeron D         | 356     | Cedar Mill | 3.33GHz   | 533MHz | 512KB |       | A        |
| 775    | Celeron D         | 355     | Prescott   | 3.33GHz   | 533MHz | 256KB |       | A        |
| 775    | Celeron D         | 352(C1) | Cedar Mill | 3.20GHz   | 533MHz | 512KB |       | A        |
| 775    | Celeron D         | 351     | Prescott   | 3.20GHz   | 533MHz | 256KB |       | A        |
| 775    | Celeron D         | 347(C1) | Cedar Mill | 3.06GHz   | 533MHz | 512KB |       | A        |
| 775    | Celeron D         | 346     | Prescott   | 3.06GHz   | 533MHz | 256KB |       | A        |
| 775    | Celeron D         | 345J    | Prescott   | 3.06GHz   | 533MHz | 256KB |       | A        |
| 775    | Celeron D         | 341     | Prescott   | 2.93GHz   | 533MHz | 256KB |       | A        |
| 775    | Celeron D         | 340J    | Prescott   | 2.93GHz   | 533MHz | 256KB |       | A        |
| 775    | Celeron D         | 336     | Prescott   | 2.80GHz   | 533MHz | 256KB |       | A        |
| 775    | Celeron D         | 335J    | Prescott   | 2.80GHz   | 533MHz | 256KB |       | A        |
| 775    | Celeron D         | 331     | Prescott   | 2.66GHz   | 533MHz | 256KB |       | A        |
| 775    | Celeron D         | 330J    | Prescott   | 2.66GHz   | 533MHz | 256KB |       | A        |
| 775    | Celeron D         | 326     | Prescott   | 2.53GHz   | 533MHz | 256KB |       | A        |
| 775    | Celeron D         | 325J    | Prescott   | 2.53GHz   | 533MHz | 256KB |       | A        |

If you need to update BIOS, please click [here](#).

The specification is subject to change without notice in advance. The brand and product names are trademarks of their respective companies. Any configuration other than original product specification is not guaranteed.

The above user interface picture is a sample for reference. The actual user interface may vary with the updated software version.



#### ABOUT

About ASRock  
Contact Us  
Organization

Corporate Social Responsibility  
Investor Services

#### NEWS

Press Release  
Awards

#### SUPPORT

Download  
FAQ  
Technical Support

#### COMMUNITY

Facebook  
YouTube  
Instagram  
Forum  
Dealer & Media Zone  
Wallpaper

