


Socket	Family	Model	Frequency	FSB	Cache	CPU Rev.	Since BIOS
754 ☒	Athlon 64	3700+	2400	800MHz	1MB	CG	All
754 ☒	Athlon 64	3400+	2400	800MHz	512KB	CG	All
754 ☒	Athlon 64	3400+	2200	800MHz	1MB	C0	All
754 ☒	Athlon 64	3400+	2200	800MHz	1MB	CG	All
754 ☒	Athlon 64	3200+	2200	800MHz	1MB	CG	All
754 ☒	Athlon 64	3200+	2000	800MHz	512KB	CG	All
754 ☒	Athlon 64	3000+	2000	800MHz	512KB	CG	All
754 ☒	Athlon 64	2800+	1800	800MHz	512KB	CG	All
754 ☒	Athlon 64	2800+	1800	800MHz	512KB	C0	All
754 ☒	Sempron-32bit	3300+	2000	800MHz	128KB	D	P1.30
754 ☒	Sempron-32bit	3100+	1800	800MHz	256KB	D	All
754 ☒	Sempron-32bit	3000+	1800	800MHz	128KB	D	P.130
754 ☒	Sempron-32bit	2800+	1600	800MHz	256KB	D	P1.30
754 ☒	Sempron-32bit	2600+	1600	800MHz	128KB	D	P1.30
462	Athlon XP	3200+	2200MHz	400MHz	512KB	n/a	All
462	Athlon XP	3100+	2200MHz	400MHz	256KB	n/a	P1.70
462	Athlon XP	3000+	2167MHz	333MHz	512KB	n/a	All

462	Athlon XP	3000+	2100MHz	400MHz	512KB	n/a	All
462	Athlon XP	2900+	2000MHz	400MHz	512KB	n/a	P1.60
462	Athlon XP	2800+	2250MHz	333MHz	256KB	n/a	All
462	Athlon XP	2800+	2083MHz	333MHz	512KB	n/a	All
462	Athlon XP	2700+	2167MHz	333MHz	512KB	n/a	All
462	Athlon XP	2600+	2133MHz	266MHz	256KB	n/a	All
462	Athlon XP	2600+	1917MHz	333MHz	512KB	n/a	All
462	Athlon XP	2500+	1833MHz	333MHz	512KB	n/a	All
462	Athlon XP	2400+	2000MHz	266MHz	256KB	n/a	All
462	Athlon XP	2200+	1800MHz	266MHz	256KB	n/a	All
462	Athlon XP	2100+	1733MHz	266MHz	256KB	n/a	All
462	Athlon XP	2000+	1667MHz	266MHz	256KB	n/a	All
462	Athlon XP	1900+	1600MHz	266MHz	256KB	n/a	All
462	Athlon XP	1800+	1533MHz	266MHz	256KB	n/a	All
462	Athlon XP	1700+	1467MHz	266MHz	256KB	n/a	All
462	Athlon XP	1600+	1400MHz	266MHz	256KB	n/a	All

462	Athlon XP	1500+	1333MHz	266MHz	256KB	n/a	All
462	Athlon	1400	1400MHz	266MHz	256KB	n/a	All
462	Athlon	1333	1333MHz	266MHz	256KB	n/a	All
462	Athlon	1200	1200MHz	266MHz	256KB	n/a	All
462	Athlon	1200	1200MHz	200MHz	256KB	n/a	All
462	Athlon	1000	1000MHz	266MHz	256KB	n/a	All
462	Athlon	1000	1000MHz	200MHz	256KB	n/a	All
462	Sempron	3000+	2000MHz	333MHz	512KB	n/a	All
462	Sempron	2800+	2000MHz	333MHz	256KB	n/a	All
462	Sempron	2600+	1833MHz	333MHz	256KB	n/a	All
462	Sempron	2500+	1750MHz	333MHz	256KB	n/a	All
462	Sempron	2400+	1667MHz	333MHz	256KB	n/a	All
462	Sempron	2300+	1583MHz	333MHz	256KB	n/a	All
462	Sempron	2200+	1500MHz	333MHz	256KB	n/a	All
462	NX	1500	1000MHz	266MHz	256KB	n/a	P1.80
462	NX	1750	1400MHz	266MHz	256KB	n/a	P1.80

462	Duron	1800	1800MHz	266MHz	64KB	n/a	All
462	Duron	1600	1600MHz	266MHz	64KB	n/a	All
462	Duron	1400	1400MHz	266MHz	64KB	n/a	All
462	Duron	1300	1300MHz	200MHz	64KB	n/a	All
462	Duron	1200	1200MHz	200MHz	64KB	n/a	All
462	Duron	1100	1100MHz	200MHz	64KB	n/a	All
462	Duron	1000	1000MHz	200MHz	64KB	n/a	All

CPU Support List

 754 CPU is required to be used on ASRock 754Bridge Card together.