

M2NPV-VM



ProArt

Gaming

Business

Mobile

Laptops

Displays /
Desktops

Motherboards /
Components

Networking /
IoT / Servers

Accessories

Support



Product Support For M2NPV-VM

[Find Another Model](#) >

Get Product Support

Register Product

CPU / Memory
Support

Driver & Utility

FAQ

Manual &
Document

CPU SUPPORT

CPU Support

Memory / Device Support

NEED HELP?

The following table shows the supported CPUs for this motherboard [Click here to search other motherboards.](#)

[Email Us](#)

[Find service locations](#)

CPU

Validated
since
PCB

Athlon 64 3000+ (CN),512K,rev.F2,62W,SocketAM2

ALL

M2NPV-VM

Athlon 64 3200+ (CN),512K,rev.F2,62W,SocketAM2	ALL
Athlon 64 3200+ (DE),512K,rev.G,45W,SocketAM2	ALL
Athlon 64 3500+ (CN),512K,rev.F2,35W,SocketAM2	ALL
Athlon 64 3500+ (CN),512K,rev.F2,62W,SocketAM2	ALL
Athlon 64 3500+ (CW),512K,rev.F2,62W,SocketAM2	ALL
Athlon 64 3500+ (DE),512K,rev.G,45W,SocketAM2	ALL
Athlon 64 3500+ (DH),512K,rev.F3,62W,SocketAM2	ALL
Athlon 64 3800+ (CN),512K,rev.F2,62W,SocketAM2	ALL
Athlon 64 3800+ (CW),512K,rev.F2,62W,SocketAM2	ALL
Athlon 64 3800+ (DE),512K,rev.G,45W,SocketAM2	ALL
Athlon 64 3800+ (DH),512K,rev.F3,62W,SocketAM2	ALL
Athlon 64 4000+ (CW),512K,rev.F2,59W,SocketAM2	ALL
Athlon 64 4000+ (DH),512K,rev.F3,62W,SocketAM2	ALL

M2NPV-VM

Athlon 64 FX-62 (CS),1MBx2,rev.F2,125W,SocketAM2	ALL
Athlon 64 LE-1600+ (DH),1M,rev.F3,45W,SocketAM2	ALL
Athlon 64 LE-1620+ (DH),1M,rev.F3,45W,SocketAM2	ALL
Athlon 64 LE-1640+ (DH),1M,rev.F3,45W,SocketAM2	ALL
Athlon 64 LE-1640+ (DP),512K,rev.G2,45W,SocketAM2	ALL
Athlon 64 LE-1660+ (DP),512K,rev.G2,45W,SocketAM2	ALL
Athlon 64 X2 3600+ (CU),512K,65W,rev.F2,SocketAM2	ALL
Athlon 64 X2 3600+ (DD),1MB,65W,rev.G,SocketAM2	ALL
Athlon 64 X2 3800+ (CS),512Kx2,65W,rev.F2,SocketAM2	ALL
Athlon 64 X2 3800+ (CU),512Kx2,35W,rev.F2,SocketAM2	ALL
Athlon 64 X2 3800+ (CU),512Kx2,65W,rev.F2,SocketAM2	ALL
Athlon 64 X2 3800+ (CU),512Kx2,rev.F2,89W,SocketAM2	ALL
Athlon 64 X2 3800+ (CZ),512Kx2,65W,rev.F3,SocketAM2	ALL

M2NPV-VM

Athlon 64 X2 4000+ (CS),1MBx2,rev.F2,65W,SocketAM2	ALL
Athlon 64 X2 4000+ (CS),1MBx2,rev.F2,89W,SocketAM2	ALL
Athlon 64 X2 4000+ (DD),1MB,rev.G,65W,SocketAM2	ALL
Athlon 64 X2 4200+ (CU),512Kx2,rev.F2,65W,SocketAM2	ALL
Athlon 64 X2 4200+ (CU),512Kx2,rev.F2,89W,SocketAM2	ALL
Athlon 64 X2 4200+ (DD),512Kx2,rev.G1,65W,SocketAM2	ALL
Athlon 64 X2 4200+ (DO),512Kx2,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 4400+ (CS),1MBx2,65W,rev.F2,SocketAM2	ALL
Athlon 64 X2 4400+ (CS),1MBx2,rev.F2,89W,SocketAM2	ALL
Athlon 64 X2 4400+ (DD),1MB,rev.G,65W,SocketAM2	ALL
Athlon 64 X2 4400+ (DO),1MB,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 4600+ (CU),512Kx2,rev.F2,65W,SocketAM2	ALL
Athlon 64 X2 4600+ (CU),512Kx2,rev.F2,89W,SocketAM2	ALL

M2NPV-VM

Athlon 64 X2 4600+ (CZ),1MB,rev.F3,65W,SocketAM2	ALL
Athlon 64 X2 4600+ (DO),1M,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 4800+ (CS),1MBx2,rev.F2,65W,SocketAM2	ALL
Athlon 64 X2 4800+ (CS),1MBx2,rev.F2,89W,SocketAM2	ALL
Athlon 64 X2 4800+ (DD),1MB,rev.G,65W,SocketAM2	ALL
Athlon 64 X2 4800+ (DO),1MB,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 5000+ (CS),1MB,rev.F2,89W,SocketAM2	ALL
Athlon 64 X2 5000+ (CU),512Kx2,rev.F2,89W,SocketAM2	ALL
Athlon 64 X2 5000+ (CZ),1MB,rev.F3,65W,SocketAM2	ALL
Athlon 64 X2 5000+ (CZ),1MB,rev.F3,89W,SocketAM2	ALL
Athlon 64 X2 5000+ (DD),1MB,rev.G,65W,SocketAM2	ALL
Athlon 64 X2 5000+ (DO),1MB,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 5000+ (DS),1MB,rev.G2,65W,SocketAM2	ALL

M2NPV-VM

Athlon 64 X2 5200+ (CS),1MBx2,rev.F2,89W,SocketAM2	ALL
Athlon 64 X2 5200+ (CZ),2MB,rev.F3,65W,SocketAM2	ALL
Athlon 64 X2 5200+ (CZ),2MB,rev.F3,89W,SocketAM2	ALL
Athlon 64 X2 5200+ (DD),1MB,rev.G,65W,SocketAM2	ALL
Athlon 64 X2 5200+ (DO),1MB,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 5400+ (CZ),1M,rev.F3,89W,SocketAM2	ALL
Athlon 64 X2 5400+ (DO),1M,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 5400+ (DS),1M,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 5600+ (CZ),2MB,rev.F3,89W,SocketAM2	ALL
Athlon 64 X2 5600+ (DO),1MB,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 6000+ (CZ),2MB,rev.F3,125W,SocketAM2	ALL
Athlon 64 X2 6000+ (CZ),2MB,rev.F3,89W,SocketAM2	ALL
Athlon 64 X2 6000+ (DO),1MB,rev.G2,89W,SocketAM2	ALL

M2NPV-VM

Athlon 64 X2 6400+ (CZ),2MB,rev.F3,125W,SocketAM2	ALL
Athlon IIX2 215(ADX215OCK22GQ),2.7GHz,512KB,rev.C2,65W,SocketAM3	ALL
Athlon IIX2 240e(AD240EHDK23GQ),2.8GHz,1MB,rev.C2,45W,SocketAM3	ALL
Athlon IIX2 255(ADX255OCK23GM),3.1GHz,512KB,rev.C3,65W,SocketAM3	ALL
Athlon IIX3 405e(AD405EHDK32GM),2.3GHz,512KB,rev.C3,45W,SocketAM3	ALL
Athlon IIX3 440(ADX440WFK32GI),3.0GHz,512KB,rev.C2,95W,SocketAM3	ALL
Athlon IIX3 445(ADX445WFK32GM),3.1GHz,512KB,rev.C3,95W,SocketAM3	ALL
Athlon IIX4 605e(AD605EHDK42GM),2.3GHz,512KB,rev.C3,45W,SocketAM3	ALL
Athlon IIX4 635(ADX635WFK42GI),2.9GHz,512KB,rev.C2,95W,SocketAM3	ALL
Athlon IIX4 640(ADX640WFK42GM),3.0GHz,512KB,rev.C3,95W,SocketAM3	ALL
Athlon X2 4050e (DO),1M,rev.G2,45W,SocketAM2	ALL
Athlon X2 4850e (DO),1M,rev.G2,45W,SocketAM2	ALL
Athlon X2 5000+ (DU),1MB,rev.G2,65W,SocketAM2	ALL

M2NPV-VM

Athlon X2 5000+ (GI),2.2GHz,1MB,rev.C2,65W,AD5000ODJ22GI,SocketAM2+	ALL
Athlon X2 5050e (DO),1MB,rev.G2,45W,ADH5050IAA5DO,SocketAM2	ALL
Athlon X2 7850+ ,2.8GHz,2MB,rev.B3,AD785ZWCJ2BGH,95W,SocketAM2+	ALL
Athlon X2 BE-2300 (DD),1M,45W,rev.G1,SocketAM2	ALL
Athlon X2 BE-2300 (DO),1M,45W,rev.G2,SocketAM2	ALL
Athlon X2 BE-2350 (DD),1M,45W,rev.G1,SocketAM2	ALL
Athlon X2 BE-2350 (DO),1M,45W,rev.G2,SocketAM2	ALL
Athlon X2 BE-2400 (DO),1M,45W,rev.G2,SocketAM2	ALL
Opteron 1212, 2.00G, 2M/L2, rev.F3, 103W, SocketAM2	ALL
Opteron 1212HE, 2.00G, 2M/L2, rev.F3, 65W, SocketAM2	ALL
Opteron 1214, 2.20GHz, 2M/L2, rev.F3, 103W, SocketAM2	ALL
Opteron 1216, 2.40G, 2M/L2, rev.F2, SocketAM2	ALL
Opteron 1216, 2.40G, 2M/L2, rev.F3, 103W, SocketAM2	ALL

M2NPV-VM

Opteron 1218, 2.60G, 2M/L2, rev.F3, 103W, SocketAM2	ALL
Opteron 1220, 2.80G, 2M/L2, rev.F3, 103W, SocketAM2	ALL
Opteron 1220SE, 2.80G, 2M/L2, rev.F2, SocketAM2	ALL
Phenom IIX2 550 (HDZ550WFK2DGI),3.1GHz,80W,rev.C2,SocketAM3,Dual-Core	ALL
Phenom IIX2 555(HDZ555WFK2DGM),3.2GHz,512KB,rev.C3,80W,SocketAM3	ALL
Phenom IIX3 705e (HD705EOCK3DGI),2.5GHz,65W,rev.C2,SocketAM3,Triple-Core	ALL
Phenom IIX3 715 (HDZ715WCJ3DGI),2.8GHz,95W,rev.C2,SocketAM2+,Triple-Core	ALL
Phenom IIX3 740 (HDZ740WFK3DGI),3.0GHz,95W,rev.C2,SocketAM3,Triple-Core	ALL
Phenom IIX4 820 (HDX820WFK4FGI),2.8GHz,95W,rev.C2,SocketAM3,Quad-Core	ALL
Phenom IIX4 905e (HD905EOCK4DGI),2.5GHz,65W,rev.C2,SocketAM3,Quad-Core	ALL
Phenom IIX4 910E(HD910EOCK4DGM),2.6GHz,65W,rev.C3,SocketAM3,Quad- Core	ALL
Phenom IIX4 925 (HDX925WFK4DGI),2.8GHz,95W,rev.C2,SocketAM3,Quad-Core	ALL
Phenom IIX4 945 (HDX945WFK4DGM),3.0GHz,2048KB,95W,rev.C3,SocketAM3,Quad- Core	ALL

M2NPV-VM

Phenom X3 8600(HD8600WCJ3BGD),2.3GHz,95W,rev.B2,SocketAM2+,Triple- Core	ALL
Phenom X3 8750 (HD875ZWCJ3BGH),2.4GHz,rev.B3,95W,SocketAM2+,Triple-Core	ALL
Phenom X3 8850 (HD8850WCJ3BGH),2.4GHz,rev.B3,95W,SocketAM2+,Triple-Core	ALL
Phenom X4 9600 (HD9600WCJ4BGD),2.3GHz,95W,rev.B2,SocketAM2+,Quad-Core	ALL
Phenom X4 9600 (HD960ZWCJ4BGD),2.3GHz,95W,rev.B2,SocketAM2+,Quad-Core	ALL
Sempron 140,SDX140HBK13GQ,2.7GHz,1024K,rev.C2,45W,SocketAM3	ALL
Sempron 2100+ (DD),512K,rev.G1,65W,SocketAM2	ALL
Sempron 2100+ (DO),512K,rev.G2,65W,SocketAM2	ALL
Sempron 2800+ (CN),128K,rev.F2,62W,SocketAM2	ALL
Sempron 3000+ (CN),256K,rev.F2,35W,SocketAM2	ALL
Sempron 3000+ (CN),256K,rev.F2,62W,SocketAM2	ALL
Sempron 3200+ (CN),128K,rev.F2,35W,SocketAM2	ALL
Sempron 3200+ (CN),128K,rev.F2,62W,SocketAM2	ALL

M2NPV-VM

Sempron 3200+ (CW),256K,rev.F2,62W,SocketAM2	ALL
Sempron 3400+ (CN),256K,rev.F2,35W,SocketAM2	ALL
Sempron 3400+ (CN),256K,rev.F2,62W,SocketAM2	ALL
Sempron 3400+ (CW),256K,rev.F2,62W,SocketAM2	ALL
Sempron 3500+ (CN),128K,rev.F2,62W,SocketAM2	ALL
Sempron 3600+ (CN),256K,rev.F2,62W,SocketAM2	ALL
Sempron 3600+ (CW),256K,rev.F2,62W,SocketAM2	ALL
Sempron 3800+ (CN),256K,rev.F2,62W,SocketAM2	ALL
Sempron LE-1100 (DE),256K,rev.G1,45W,SocketAM2	ALL
Sempron LE-1150 (DE),256K,rev.G1,45W,SocketAM2	ALL
Sempron LE-1200 (DE),512K,rev.G2,45W,SocketAM2	ALL
Sempron LE-1200 (DP),512K,rev.G2,45W,SocketAM2	ALL
Sempron LE-1250 (DP),512K,rev.G2,45W,SocketAM2	ALL

M2NPV-VM

Sempron LE-1300 (DP),512K,rev.G2,45W,SocketAM2

ALL



Shop and Learn

- Mobile
 - Workstations
 - Phones
 - Accessories
- Accessories
 - Motherboards / Components**
 - Motherboards
 - Graphics Cards
 - Gaming Cases
 - Cooling
 - Power Supply Units
 - Sound Cards
 - Optical Drives
 - Data Storage
 - External Graphics Docks
- Laptops
- For Home
- For Work
- For Creators
- For Students
- For Gaming
- Accessories
 - Displays / Desktops
 - Monitors
 - Projectors
 - All-in-One PCs
 - Tower PCs
 - Gaming Tower PCs
 - Mini PCs
- Workstations
 - Wired Networking
 - Intelligent Robots
 - AIoT & Industrial Solutions
 - Servers
 - Smart Home
 - Accessories
 - Keyboards
 - Mice and Mouse Pads
 - Headsets and Audio
 - Streaming Kits
 - Apparel Bags and Gear
 - Cases and Protection
 - Adapters and Chargers
 - Docks Dongles and Cable
 - Power Banks
 - Controller
 - Gimbal

Learn More

- Asus Design Center
- ASUSPRO
- Automotive Solutions
- AVC Licensing Notice

Support

- Check Repair Status
- Find Service Locations
- Product Registration
- Email Us
- Call Us
- Security Advisory
- ASUS Support Videos
- MyASUS

About Us

- About ASUS
- News
- Investor Relations
- About CSR for global
- Press Room
- ASUSTOR Inc.

Community

