

M3N78-EM



ProArt

Gaming

Business

Mobile

Laptops

Displays /
Desktops

Motherboards /
Components

Networking /
IoT / Servers

Accessories

Support



Product Support For M3N78-EM

[Find Another Model >](#)

Get Product Support

Register Product

CPU / Memory
Support

Driver & Utility

FAQ

Manual &
Document

CPU SUPPORT

CPU Support

Memory / Device Support

NEED HELP?

The following table shows the supported CPUs for this motherboard [Click here to search other motherboards.](#)

[Email Us](#)

[Find service locations](#)

CPU

Validated
since
PCB

Athlon 64 3200+ (DE),512K,rev.G,45W,SocketAM2

ALL

M3N78-EM

Athlon 64 3500+ (DE),512K,rev.G,45W,SocketAM2	ALL
Athlon 64 3800+ (CW),512K,rev.F2,62W,SocketAM2	ALL
Athlon 64 3800+ (DE),512K,rev.G,45W,SocketAM2	ALL
Athlon 64 3800+ (DH),512K,rev.F3,62W,SocketAM2	ALL
Athlon 64 4000+ (CW),512K,rev.F2,59W,SocketAM2	ALL
Athlon 64 4000+ (DH),512K,rev.F3,62W,SocketAM2	ALL
Athlon 64 LE-1600+ (DH),1M,rev.F3,45W,SocketAM2	ALL
Athlon 64 LE-1620+ (DH),1M,rev.F3,45W,SocketAM2	ALL
Athlon 64 LE-1640+ (DP),512K,rev.G2,45W,SocketAM2	ALL
Athlon 64 LE-1660+ (DP),512K,rev.G2,45W,SocketAM2	ALL
Athlon 64 X2 3600+ (DD),1MB,65W,rev.G,SocketAM2	ALL
Athlon 64 X2 4000+ (DD),1MB,rev.G,65W,SocketAM2	ALL
Athlon 64 X2 4200+ (DD),512Kx2,rev.G1,65W,SocketAM2	ALL

M3N78-EM

Athlon 64 X2 4200+ (DO),512Kx2,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 4400+ (DD),1MB,rev.G,65W,SocketAM2	ALL
Athlon 64 X2 4400+ (DO),1MB,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 4400+ (DU),1MB,rev.G2,65W,SocketAM2,ADO4400IAA5DU	ALL
Athlon 64 X2 4600+ (DO),1M,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 4800+ (CS),1MBx2,rev.F2,89W,SocketAM2	ALL
Athlon 64 X2 4800+ (DD),1MB,rev.G,65W,SocketAM2	ALL
Athlon 64 X2 4800+ (DO),1MB,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 5000+ (CS),1MB,rev.F2,89W,SocketAM2	ALL
Athlon 64 X2 5000+ (CU),512Kx2,rev.F2,89W,SocketAM2	ALL
Athlon 64 X2 5000+ (CZ),1MB,rev.F3,65W,SocketAM2	ALL
Athlon 64 X2 5000+ (CZ),1MB,rev.F3,89W,SocketAM2	ALL
Athlon 64 X2 5000+ (DD),1MB,rev.G,65W,SocketAM2	ALL

M3N78-EM

Athlon 64 X2 5000+ (DO),1MB,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 5000+ (DS),1MB,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 5200+ (CS),1MBx2,rev.F2,89W,SocketAM2	ALL
Athlon 64 X2 5200+ (CZ),2MB,rev.F3,65W,SocketAM2	ALL
Athlon 64 X2 5200+ (CZ),2MB,rev.F3,89W,SocketAM2	ALL
Athlon 64 X2 5200+ (DD),1MB,rev.G,65W,SocketAM2	ALL
Athlon 64 X2 5200+ (DO),1MB,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 5400+ (CZ),1M,rev.F3,89W,SocketAM2	ALL
Athlon 64 X2 5400+ (DS),1M,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 5600+ (CZ),2MB,rev.F3,89W,SocketAM2	ALL
Athlon 64 X2 5600+ (DO),1MB,rev.G2,65W,SocketAM2	ALL
Athlon 64 X2 5600+ (DO),2MB,rev.G2,89W,SocketAM2	ALL
Athlon 64 X2 6000+ (CZ),2MB,rev.F3,125W,SocketAM2	ALL

M3N78-EM

Athlon 64 X2 6000+ (CZ),2MB,rev.F3,89W,SocketAM2	ALL
Athlon 64 X2 6000+ (DO),1MB,rev.G2,89W,SocketAM2	ALL
Athlon 64 X2 6400+ (CZ),2MB,rev.F3,125W,SocketAM2	ALL
Athlon 64 X2 6500+ ,2.3GHz,1MB,rev.B3,AD6500WCJ2BGH,95W,SocketAM2	ALL
Athlon IIX2 215(ADX215OCK22GM),2.7GHz,512KB,rev.C3,65W,SocketAM3	ALL
Athlon IIX2 220(ADX220OCK22GM),2.8GHz,512KB,rev.C3,65W,SocketAM3	ALL
Athlon IIX2 235e(AD235EHDK23GQ),2.7GHz,1MB,rev.C2,45W,SocketAM3	ALL
Athlon IIX2 240(ADX240OCK23GQ),2.8GHz,1MB,rev.C2,65W,SocketAM3	ALL
Athlon IIX2 240e(AD240EHDK23GM),2.8GHz,1MB,rev.C3,45W,SocketAM3	ALL
Athlon IIX2 240e(AD240EHDK23GQ),2.8GHz,1MB,rev.C2,45W,SocketAM3	ALL
Athlon IIX2 245(ADX245OCK23GM),2.9GHz,1MB,rev.C2,65W,SocketAM3	ALL
Athlon IIX2 245(ADX245OCK23GQ),2.9GHz,1MB,rev.C2,65W,SocketAM3	ALL
Athlon IIX2 245e(AD245EHDK23GM),2.9GHz,1MB,rev.C3,45W,SocketAM3	ALL

M3N78-EM

Athlon IIX2 250(ADX250OCK23GM),3.0GHz,1MB,rev.C3,65W,SocketAM3	ALL
Athlon IIX2 250(ADX250OCK23GQ),3.0GHz,1MB,rev.C2,65W,SocketAM3	ALL
Athlon IIX2 250e(AD250EHDK23GM),3.0GHz,1MB,rev.C3,45W,SocketAM3	ALL
Athlon IIX2 255(ADX255OCK23GM),3.1GHz,512KB,rev.C3,65W,SocketAM3	ALL
Athlon IIX2 260(ADX260OCK23GM),3.2GHz,1MB,rev.C3,65W,SocketAM3	ALL
Athlon IIX3 400e(AD400EHDK32GI),2.2GHz,512KB,rev.C2,45W,SocketAM3	1.01G
Athlon IIX3 405e(AD405EHDK32GI),2.3GHz,512KB,rev.C2,45W,SocketAM3	1.01G
Athlon IIX3 405e(AD405EHDK32GM),2.3GHz,512KB,rev.C3,45W,SocketAM3	ALL
Athlon IIX3 415e(AD415EHDK32GM),2.5GHz,512KB,rev.C3,45W,SocketAM3	ALL
Athlon IIX3 435(ADX435WFK32GM),2.9GHz,512KB,rev.C3,95W,SocketAM3	ALL
Athlon IIX3 440(ADX440WFK32GM),3.0GHz,512KB,rev.C3,95W,SocketAM3	ALL
Athlon IIX3 445(ADX445WFK32GM),3.1GHz,512KB,rev.C3,95W,SocketAM3	ALL
Athlon IIX3 450(ADX450WFK32GM),3.2GHz,512KB,rev.C3,95W,SocketAM3	ALL

M3N78-EM

Athlon IIX4 600e(AD600EHDK42GI),2.2GHz,512KB,rev.C2,45W,SocketAM3	1.01G
Athlon IIX4 605e(AD605EHDK42GI),2.3GHz,512KB,rev.C2,45W,SocketAM3	1.01G
Athlon IIX4 605e(AD605EHDK42GM),2.3GHz,512KB,rev.C3,45W,SocketAM3	ALL
Athlon IIX4 610e(AD610EHDK42GM),2.4GHz,512KB,rev.C3,45W,SocketAM3	ALL
Athlon IIX4 620(ADX620WFK42GI),2.6GHz,512KB,rev.C2,95W,SocketAM3	ALL
Athlon IIX4 630(ADX630WFK42GI),2.8GHz,512KB,rev.C3,95W,SocketAM3	ALL
Athlon IIX4 630(ADX630WFK42GM),2.8GHz,512KB,rev.C3,95W,SocketAM3	ALL
Athlon IIX4 635(ADX635WFK42GM),2.9GHz,512KB,rev.C3,95W,SocketAM3	ALL
Athlon IIX4 640(ADX640WFK42GM),3.0GHz,512KB,rev.C3,95W,SocketAM3	ALL
Athlon X2 4050e (DO),1M,rev.G2,45W,SocketAM2	ALL
Athlon X2 4450e (DO),1M,rev.G2,45W,SocketAM2	ALL
Athlon X2 4850e (DO),1M,rev.G2,45W,SocketAM2	ALL
Athlon X2 5000+ (DU),1MB,rev.G2,65W,SocketAM2	ALL

M3N78-EM

Athlon X2 5000+ (GI),2.2GHz,1MB,rev.C2,65W,AD5000ODJ22GI,SocketAM2+	1.01G
Athlon X2 5050e (DO),1MB,rev.G2,45W,ADH5050IAA5DO,SocketAM2	ALL
Athlon X2 7450+ ,2.4GHz,2MB,rev.B3,AD7450WCJ2BGH,95W,SocketAM2+	ALL
Athlon X2 7550+ ,2.5GHz,2MB,rev.B3,AD7550WCJ2BGH,95W,SocketAM2+	ALL
Athlon X2 7750+ ,2.7GHz,2MB,rev.B3,AD7750WCJ2BGH,95W,SocketAM2+	1.01G
Athlon X2 7750+ ,2.7GHz,2MB,rev.B3,AD775ZWCJ2BGH,95W,SocketAM2+	ALL
Athlon X2 7850+ ,2.8GHz,2MB,rev.B3,AD785ZWCJ2BGH,95W,SocketAM2+	1.01G
Athlon X2 BE-2300 (DD),1M,45W,rev.G1,SocketAM2	ALL
Athlon X2 BE-2300 (DO),1M,45W,rev.G2,SocketAM2	ALL
Athlon X2 BE-2350 (DD),1M,45W,rev.G1,SocketAM2	ALL
Athlon X2 BE-2350 (DO),1M,45W,rev.G2,SocketAM2	ALL
Athlon X2 BE-2400 (DO),1M,45W,rev.G2,SocketAM2	ALL
Phenom IIX2 545(HDX545WFK2DGM),3.0GHz,512KB,rev.C3,80W,SocketAM3	1.01G

M3N78-EM

Phenom IIX2 550(HDX550WFK2DGM),3.1GHz,512KB,rev.C3,80W,SocketAM3	1.01G
Phenom IIX2 555(HDZ555WFK2DGM),3.2GHz,512KB,rev.C3,80W,SocketAM3	ALL
Phenom IIX2 560(HDZ560WFK2DGM),3.3GHz,512KB,rev.C3,80W,SocketAM3	ALL
Phenom IIX3 700e (HD700EOCK3DGI),2.4GHz,65W,rev.C2,SocketAM3,Triple-Core	1.01G
Phenom IIX3 705e (HD705EOCK3DGI),2.5GHz,65W,rev.C2,SocketAM3,Triple-Core	1.01G
Phenom IIX3 710 (HDX710WFK3DGI),2.6GHz,95W,rev.C2,SocketAM3,Triple-Core	ALL
Phenom IIX3 720 (HDZ720WFK3DGI),2.8GHz,95W,rev.C2,SocketAM3,Triple-Core	ALL
Phenom IIX4 805 (HDX805WFK4FGI),2.5GHz,95W,rev.C2,SocketAM3,Quad-Core	ALL
Phenom IIX4 810 (HDX810WFK4FGI),2.6GHz,95W,rev.C2,SocketAM3,Quad-Core	ALL
Phenom IIX4 910 (HDX910WFK4DGI),2.6GHz,95W,rev.C2,SocketAM3,Quad-Core	ALL
Phenom IIX4 920 (HDX920XCJ4DGI),2.8GHz,125W,rev.C2,SocketAM2+,Quad-Core	ALL
Phenom IIX4 925 (HDX925WFK4DGI),2.8GHz,95W,rev.C2,SocketAM3,Quad-Core	ALL
Phenom IIX4 925 (HDX925WFK4DGM),2.8GHz,95W,rev.C3,SocketAM3,Quad-Core	1.01G

M3N78-EM

Phenom IIX4 940 (HDZ940XCJ4DGI),3.0GHz,125W,rev.C2,SocketAM2+,Quad-Core	ALL
Phenom IIX4 945 (HDX945FBK4DGI),3.0GHz,125W,rev.C2,SocketAM3,Quad-Core	ALL
Phenom IIX4 945 (HDX945WFK4DGM),3.0GHz,2048KB,95W,rev.C3,SocketAM3,Quad-Core	ALL
Phenom IIX4 955 (HDX955FBK4DGM),3.2GHz,125W,rev.C3,SocketAM3,Quad-Core	ALL
Phenom IIX4 955 (HDX955WFK4DGM),3.2GHz,95W,rev.C3,SocketAM3,Quad-Core	ALL
Phenom IIX4 955 (HDZ955FBK4DGI),3.2GHz,125W,rev.C2,SocketAM3,Quad-Core	ALL
Phenom IIX4 965 (HDZ965FBK4DGM),3.4GHz,125W,rev.C3,SocketAM3,Quad-Core	ALL
Phenom IIX4 970 (HDZ970FBK4DGM),3.5GHz,125W,rev.C3,SocketAM3,Quad-Core	ALL
Phenom IIX6 1035T(HDT35TWFK6DGR),2.6GHz,95W,rev.E0,SocketAM3,6-Core	ALL
Phenom IIX6 1055T(HDT55TFBK6DGR),2.8GHz,125W,rev.E0,SocketAM3,6-Core	ALL
Phenom IIX6 1055T(HDT55TWFK6DGR),2.8GHz,125W,rev.E0,SocketAM3,6-Core	ALL
Phenom IIX6 1090T(HDT90ZFBK6DGR),3.2GHz,125W,rev.E0,SocketAM3,6-Core	ALL
Phenom X3 8250e (HD8250ODJ3BGH),1.9GHz,rev.B3,65W,SocketAM2+,Triple-Core	ALL

M3N78-EM


Phenom X3 8400 (HD8400WCJ3BGD),2.1GHz,rev.B2,95W,SocketAM2+,Triple-Core	ALL
Phenom X3 8450 (HD8450WCJ3BGH),2.1GHz,rev.B3,95W,SocketAM2+,Triple-Core	ALL
Phenom X3 8450e (HD8450ODJ3BGH),2.1GHz,rev.B3,65W,SocketAM2+,Triple-Core	ALL
Phenom X3 8550 (HD8550WCJ3BGH),2.2GHz,rev.B3,95W,SocketAM2+,Triple-Core	ALL
Phenom X3 8600(HD8600WCJ3BGD),2.3GHz,95W,rev.B2,SocketAM2+,Triple- Core	ALL
Phenom X3 8650 (HD8650WCJ3BGH),2.3GHz,95W,rev.B3,SocketAM2+,Triple-Core	ALL
Phenom X3 8750 (HD8750WCJ3BGH),2.4GHz,rev.B3,95W,SocketAM2+,Triple-Core	ALL
Phenom X3 8750 (HD875ZWCJ3BGH),2.4GHz,rev.B3,95W,SocketAM2+,Triple-Core	ALL
Phenom X3 8850 (HD8850WCJ3BGH),2.4GHz,rev.B3,95W,SocketAM2+,Triple-Core	ALL
Phenom X4 9100e (HD9100BJ4BGD),1.8GHz,65W,rev.B2,SocketAM2+,Quad-Core	
Phenom X4 9150 (HD9150ODJ4BGH),1.8GHz,65W,rev.B3,SocketAM2+,Quad-Core	ALL
Phenom X4 9350 (HD9350ODJ4BGH),2.0GHz,65W,rev.B3,SocketAM2+,Quad-Core	ALL
Phenom X4 9450 (HD9450ODJ4BGH),2.1GHz,65W,rev.B3,SocketAM2+,Quad-Core	ALL

M3N78-EM

Phenom X4 9500 (HD9500WCJ4BGD),2.2GHz,rev.B2,95W,SocketAM2+,Quad-Core	ALL
Phenom X4 9550 (HD9550WCJ4BGH),2.2GHz,rev.B3,95W,SocketAM2+,Quad-Core	ALL
Phenom X4 9600 (HD9600WCJ4BGD),2.3GHz,95W,rev.B2,SocketAM2+,Quad-Core	ALL
Phenom X4 9650 (HD9650WCJ4BGH),2.3GHz,95W,rev.B3,SocketAM2+,Quad-Core	ALL
Phenom X4 9750 (HD9750WCJ4BGH),2.4GHz,95W,rev.B3,SocketAM2+,Quad-Core	ALL
Phenom X4 9750 (HD9750XAJ4BGH),2.4GHz,125W,rev.B3,SocketAM2+,Quad-Core	ALL
Phenom X4 9850 (HD9850WCJ4BGH,rev.B3,SocketAM2+,Quad-Core	ALL
Phenom X4 9850 (HD985ZXAJ4BGH),2.5GHz,125W,rev.B3,SocketAM2+,Quad-Core	ALL
Phenom X4 9950 (HD995ZFAJ4BGH),2.6GHz,140W,rev.B3,SocketAM2+,Quad-Core	ALL
Phenom X4 9950 (HD995ZXAJ4BGH),2.6GHz,125W,rev.B3,SocketAM2+,Quad-Core	ALL
Sempron 145,SDX145HBK13GM,2.8GHz,1024K,rev.C3,45W,SocketAM3	ALL
Sempron 2100+ (DD),512K,rev.G1,65W,SocketAM2	ALL
Sempron 2100+ (DO),512K,rev.G2,65W,SocketAM2	ALL

M3N78-EM

Sempron 2300+ (DO),512K,rev.G2,SocketAM2	ALL
Sempron 3600+ (CN),256K,rev.F2,62W,SocketAM2	ALL
Sempron 3600+ (CW),256K,rev.F2,62W,SocketAM2	ALL
Sempron LE-1100 (DE),256K,rev.G1,45W,SocketAM2	ALL
Sempron LE-1150 (DE),256K,rev.G1,45W,SocketAM2	ALL
Sempron LE-1200 (DE),512K,rev.G2,45W,SocketAM2	ALL
Sempron LE-1200 (DP),512K,rev.G2,45W,SocketAM2	ALL
Sempron LE-1250 (DP),512K,rev.G2,45W,SocketAM2	ALL
Sempron LE-1300 (DP),512K,rev.G2,45W,SocketAM2	ALL



Shop and Learn

- Mobile
- Phones
- Accessories
- Workstations
- Accessories
- Motherboards / Components**
- Laptops
- For Home
- For Work
- For Creators
- Motherboards
- Graphics Cards
- Gaming Cases

- Wired Networking
- Intelligent Robots
- AIoT & Industrial Solutions
- Servers
- Smart Home
- Accessories

Learn More

- Asus Design Center
- ASUSPRO
- Automotive Solutions
- AVC Licensing Notice

Support

About Us

- About ASUS
- News
- Investor Relations
- About CSR for global
- Press Room
- ASUSTOR Inc.

Community



M3N78-EM

Displays / Desktops	Optical Drives	Streaming Kits	Product Registration
Monitors	Data Storage	Apparel Bags and Gear	Email Us
Projectors	External Graphics Docks	Cases and Protection	Call Us
All-in-One PCs	Networking / IoT / Servers	Adapters and Chargers	Security Advisory
Tower PCs	WiFi Routers	Docks Dongles and Cable	ASUS Support Videos
Gaming Tower PCs	Whole Home Mesh WiFi System	Power Banks	MyASUS
Mini PCs		Controller	
		Gimbal	