

We raden je aan om je lokale website te selecteren en bezoeken voor relevantere producten, promoties en evenementen.

Stay here

Naar je lokale website gaan

M4A87TD



Product Support For M4A87TD

[Find Another Model >](#)

By registering your device, you can easily manage your product warranty, get technical support and keep track of your repair status.

Register Product

CPU / Memory Support

Driver & Utility

FAQ

Manual & Document

Warranty

CPU SUPPORT

CPU Support







Memory / Device Support

The following table shows the supported CPUs for this motherboard [Click here to search other motherboards.](#)
















CPU	Validated since PCB	Validated since BIOS	Note
Athlon IIX2 215(ADX215OCK22GQ),2.7GHz,512KB,rev.C2,65W,SocketAM3	ALL	0504 GO	
Athlon IIX2 225(ADX225OCK22GM),2.9GHz,512KB,rev.C3,65W,SocketAM3	ALL	1005 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Athlon IIX2 235e(AD235EHDK23GQ),2.7GHz,1MB,rev.C2,45W,SocketAM3	ALL	0504 	
Athlon IIX2 240(ADX240OCK23GQ),2.8GHz,1MB,rev.C2,65W,SocketAM3	ALL	0504 	
Athlon IIX2 240e(AD240EHDK23GQ),2.8GHz,1MB,rev.C2,45W,SocketAM3	ALL	0504 	
Athlon IIX2 245(ADX245OCK23GM),2.9GHz,1MB,rev.C2,65W,SocketAM3	ALL	0504 	
Athlon IIX2 245(ADX245OCK23GQ),2.9GHz,1MB,rev.C2,65W,SocketAM3	ALL	0504 	
Athlon IIX2 250(ADX250OCK23GM),3.0GHz,1MB,rev.C3,65W,SocketAM3	ALL	0504 	
Athlon IIX2 250(ADX250OCK23GQ),3.0GHz,1MB,rev.C2,65W,SocketAM3	ALL	0504 	
Athlon IIX2 255(ADX255OCK23GM),3.1GHz,512KB,rev.C3,65W,SocketAM3	ALL	0504 	
Athlon IIX2 255(ADX255OCK23GQ),3.1GHz,1MB,rev.C2,65W,SocketAM3	ALL	0504 	
Athlon IIX2 265(ADX265OCK23GM),3.3GHz,1MB,rev.C3,65W,SocketAM3	ALL	1005 	
Athlon IIX2 270(ADX270OCK23GM),3.4GHz,1MB,rev.C3,65W,SocketAM3	ALL	1005 	
Athlon IIX3 400e(AD400EHDK32GI),2.2GHz,512KB,rev.C2,45W,SocketAM3	ALL	0504 	
Athlon IIX3 405e(AD405EHDK32GI),2.3GHz,512KB,rev.C2,45W,SocketAM3	ALL	0504 	
Athlon IIX3 405e(AD405EHDK32GM),2.3GHz,512KB,rev.C3,45W,SocketAM3	ALL	0504 	
Athlon IIX3 420e(AD420EHDK32GM),2.6GHz,512KB,rev.C3,45W,SocketAM3	ALL	1005 	

















CPU	Validated since PCB	Validated since BIOS	Note
Athlon IIX3 425(ADX425WFK32GI),2.7GHz,512KB,rev.C2,95W,SocketAM3	ALL	0504 	
Athlon IIX3 435(ADX435WFK32GI),2.9GHz,512KB,rev.C2,95W,SocketAM3	ALL	0504 	
Athlon IIX3 435(ADX435WFK32GM),2.9GHz,512KB,rev.C3,95W,SocketAM3	ALL	0504 	
Athlon IIX3 440(ADX440WFK32GI),3.0GHz,512KB,rev.C2,95W,SocketAM3	ALL	0504 	
Athlon IIX3 440(ADX440WFK32GM),3.0GHz,512KB,rev.C3,95W,SocketAM3	ALL	0504 	
Athlon IIX3 445(ADX445WFK32GM),3.1GHz,512KB,rev.C3,95W,SocketAM3	ALL	0504 	
Athlon IIX3 450(ADX450WFK32GM),3.2GHz,512KB,rev.C3,95W,SocketAM3	ALL	1005 	
Athlon IIX3 455(ADX455WFK32GM),3.3GHz,512KB,rev.C3,95W,SocketAM3	ALL	1005 	
Athlon IIX4 600e(AD600EHDK42GI),2.2GHz,512KB,rev.C2,45W,SocketAM3	ALL	0504 	
Athlon IIX4 605e(AD605EHDK42GI),2.3GHz,512KB,rev.C2,45W,SocketAM3	ALL	0504 	
Athlon IIX4 605e(AD605EHDK42GM),2.3GHz,512KB,rev.C3,45W,SocketAM3	ALL	0504 	
Athlon IIX4 615e(AD615EHDK42GM),2.5GHz,512KB,rev.C3,45W,SocketAM3	ALL	1005 	
Athlon IIX4 620(ADX620WFK42GI),2.6GHz,512KB,rev.C2,95W,SocketAM3	ALL	0504 	
Athlon IIX4 630(ADX630WFK42GI),2.8GHz,512KB,rev.C3,95W,SocketAM3	ALL	0504 	
Athlon IIX4 630(ADX630WFK42GM),2.8GHz,512KB,rev.C3,95W,SocketAM3	ALL	0504 	
















CPU	Validated since PCB	Validated since BIOS	Note
Athlon IIX4 635(ADX635WFK42GI),2.9GHz,512KB,rev.C2,95W,SocketAM3	ALL	0504 	
Athlon IIX4 635(ADX635WFK42GM),2.9GHz,512KB,rev.C3,95W,SocketAM3	ALL	0504 	
Athlon IIX4 640(ADX640WFK42GM),3.0GHz,512KB,rev.C3,95W,SocketAM3	ALL	0504 	
Athlon IIX4 645(ADX645WFK42GM),3.1GHz,512KB,rev.C3,95W,SocketAM3	ALL	1005 	
Athlon IIX4 650(ADX650WFK42GM),3.2GHz,512KB,rev.C3,95W,SocketAM3	ALL	1005 	
Athlon X2 5200+(GM),2.3GHz,1MB,rev.C3,65W,AD5200OCK22GM,SocketAM3	ALL	1005 	
Phenom IIX2 545(HDX545WFK2DGI),3.0GHz,80W,rev.C2,SocketAM3,Dual-Core	ALL	0504 	
Phenom IIX2 545(HDX545WFK2DGM),3.0GHz,512KB,rev.C3,80W,SocketAM3	ALL	0504 	
Phenom IIX2 550(HDZ550WFK2DGI),3.1GHz,80W,rev.C2,SocketAM3,Dual-Core	ALL	0504 	
Phenom IIX2 550(HDX550WFK2DGM),3.1GHz,512KB,rev.C3,80W,SocketAM3	ALL	0504 	
Phenom IIX2 555(HDZ555WFK2DGM),3.2GHz,512KB,rev.C3,80W,SocketAM3	ALL	0504 	
Phenom IIX2 560(HDZ560WFK2DGM),3.3GHz,512KB,rev.C3,80W,SocketAM3	ALL	1005 	
Phenom IIX2 565(HDZ565WFK2DGM),3.4GHz,512KB,rev.C3,80W,SocketAM3	ALL	1102 	
Phenom IIX2 570(HDZ570WFK2DGM),3.5GHz,512KB,rev.C3,80W,SocketAM3	ALL	1202 	
Phenom IIX3 700e(HD700EOCK3DGI),2.4GHz,65W,rev.C2,SocketAM3,Triple-Core	ALL	0504 	



CPU	Validated since PCB	Validated since BIOS	Note
Phenom IIX3 705e (HD705EOCK3DGI),2.5GHz,65W,rev.C2,SocketAM3,Triple-Core	ALL	0504 	
Phenom IIX3 710 (HDX710WFK3DGI),2.6GHz,95W,rev.C2,SocketAM3,Triple-Core	ALL	0504 	
Phenom IIX3 715 (HDZ715WCJ3DGI),2.8GHz,95W,rev.C2,SocketAM2+,Triple-Core	ALL	0504 	
Phenom IIX3 720 (HDX720WFK3DGI),2.8GHz,95W,rev.C2,SocketAM3,Triple-Core	ALL	0504 	
Phenom IIX3 720 (HDZ720WFK3DGI),2.8GHz,95W,rev.C2,SocketAM3,Triple-Core	ALL	0504 	
Phenom IIX3 740 (HDZ740WFK3DGI),3.0GHz,95W,rev.C2,SocketAM3,Triple-Core	ALL	0504 	
Phenom IIX4 805 (HDX805WFK4FGI),2.5GHz,95W,rev.C2,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 810 (HDX810WFK4FGI),2.6GHz,95W,rev.C2,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 820 (HDX820WFK4FGI),2.8GHz,95W,rev.C2,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 840 (HDX840WFK42GM),3.2GHz,95W,rev.C3,SocketAM3,Quad-Core	ALL	1202 	
Phenom IIX4 900e (HD900EOCK4DGI),2.4GHz,65W,rev.C2,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 905e (HD905EOCK4DGI),2.5GHz,65W,rev.C2,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 905e (HD905EOCK4DGM),2.5GHz,65W,rev.C3,SocketAM3,Quad-Core	ALL	1102 	
Phenom IIX4 910 (HDX910WFK4DGI),2.6GHz,95W,rev.C2,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 910E(HD910EOCK4DGM),2.6GHz,65W,rev.C3,SocketAM3,Quad-Core	ALL	0504 	



CPU	Validated since PCB	Validated since BIOS	Note
Phenom IIX4 925 (HDX925WFK4DGI),2.8GHz,95W,rev.C2,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 925 (HDX925WFK4DGM),2.8GHz,95W,rev.C3,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 945 (HDX945FBK4DGI),3.0GHz,125W,rev.C2,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 945 (HDX945WFK4DGI),3.0GHz,2048KB,95W,rev.C2,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 945 (HDX945WFK4DGM),3.0GHz,2048KB,95W,rev.C3,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 955 (HDX955FBK4DGI),3.2GHz,125W,rev.C2,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 955 (HDX955FBK4DGM),3.2GHz,125W,rev.C3,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 955 (HDZ955FBK4DGI),3.2GHz,125W,rev.C2,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 955 (HDZ955FBK4DGM),3.2GHz,125W,rev.C3,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 960 (HDX960WFK4DGM),3.3GHz,95W,rev.C3,SocketAM3,Quad-Core	ALL	1102 	
Phenom IIX4 960T (HD96ZTWFK4DGR),3.0GHz,95W,rev.E0,SocketAM3,Quad-Core	ALL	0704 	
Phenom IIX4 965 (HDZ965FBK4DGI),3.4GHz,140W,rev.C2,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 965 (HDZ965FBK4DGM),3.4GHz,125W,rev.C3,SocketAM3,Quad-Core	ALL	0504 	
Phenom IIX4 970 (HDZ970FBK4DGM),3.5GHz,125W,rev.C3,SocketAM3,Quad-Core	ALL	1005 	
Phenom IIX4 975 (HDZ975FBK4DGM),3.6GHz,125W,rev.C3,SocketAM3,Quad-Core	ALL	1102 	



CPU	Validated since PCB	Validated since BIOS	Note
Phenom IIX4 980 (HDZ980FBK4DGM),3.7GHz,125W,rev.C3,SocketAM3,Quad-Core	ALL	2001 GO	
Phenom IIX6 1035T(HDT35TWFK6DGR),2.6GHz,95W,rev.E0,SocketAM3,6-Core	ALL	0704 GO	
Phenom IIX6 1045T(HDT45TWFK6DGR),2.7GHz,95W,rev.E0,SocketAM3,6-Core	ALL	1005 GO	
Phenom IIX6 1055T(HDT55TFBK6DGR),2.8GHz,125W,rev.E0,SocketAM3,6-Core	ALL	0704 GO	
Phenom IIX6 1055T(HDT55TWFK6DGR),2.8GHz,125W,rev.E0,SocketAM3,6-Core	ALL	0704 GO	
Phenom IIX6 1065T(HDT65TWFK6DGR),2.9GHz,95W,rev.E0,SocketAM3,6-Core	ALL	1005 GO	
Phenom IIX6 1075T(HDT75TFBK6DGR),3.0GHz,125W,rev.E0,SocketAM3,6-Core	ALL	1005 GO	
Phenom IIX6 1090T(HDT90ZFBK6DGR),3.2GHz,125W,rev.E0,SocketAM3,6-Core	ALL	0704 GO	
Phenom IIX6 1100T(HDE00ZFBK6DGR),3.3GHz,125W,rev.E0,SocketAM3,6-Core	ALL	1005 GO	
Sempron X2 180,SDX180HDK22GM,2.4GHz,512Kx2,rev.C3,45W,SocketAM3	ALL	1202 GO	
Sempron X2 190,SDX190HDK22GM,2.5GHz,512Kx2,rev.C3,45W,SocketAM3	ALL	2101 GO	

NEED HELP?

[✉ Email Us](#) [📍 Find service locations](#)

Shop and Learn

Mobile

Workstations

Wired Networking

Phones

Accessories

Intelligent Robots

Learn More

Support

Check Repair Status

About Us

About ASUS



Accessories	Motherboards / Components	AIoT & Industrial Solutions	Asus Design Center	Find Service Locations	News
Laptops	Motherboards	Servers			Investor Relations
For Home	Graphics Cards	Smart Home	ASUSPRO	Product Registration	About CSR for global
For Work	Gaming Cases	Accessories	Automotive Solutions	Email Us	Press Room
For Creators	Cooling	Keyboards	AVC Licensing Notice	Call Us	ASUSTOR Inc.
For Students	Power Supply Units	Mice and Mouse Pads	ASUS Blog	Security Advisory	ASUS Cloud Corporation
For Gaming	Sound Cards	Headsets and Audio		ASUS Support Videos	UniMax Electronics Inc.
Accessories	Optical Drives	Streaming Kits		MyASUS	
Displays / Desktops	Data Storage	Apparel Bags and Gear			
Monitors	External Graphics Docks	Cases and Protection			
Projectors	Networking / IoT / Servers	Adapters and Chargers			
All-in-One PCs	WiFi 7	Docks Dongles and Cable			
Tower PCs	WiFi 6	Power Banks			
Gaming Tower PCs	WiFi Routers	Controller			
Mini PCs	Whole Home Mesh WiFi System	Gimbal			
	Business Network Solutions				

