

8500TAX

PENTIUM 75-233MHz 430VX MAINBOARD



8500TAX

*Processor:

• Intel Pentium 75-233MHz/P54C,
• P55C/**MMX Technology**
• Cyrix/IBM 6x86/6x86L/M2
• AMD-K5/AMD-K6

***Chipset**

• Intel 430VX PCIset

***Expansion Slots**

• 4 x 32-bit PCI Slots

• 4 x 16-bit ISA Slots

***Cache Memory**

• 512KB or 256KB Pipelined Burst SRAM

***System Memory**

• Four 72-pin SIMM Sockets Support 8MB

• 128MB Memory

• One 168-pin DIMM Sockets Support 8MB

• 64MB Memory

• Fast Page Mode DRAM or EDO or BEDO

• DRAM Support

• 3V Unbuffered SDRAM Support

***Onboard Support I/O**

• 2 Serial Ports

• 1 Parallel Port

• 1 Floppy Port

• IrDA Transmission Header (Optional)

***Onboard PCI IDE**

• Dual IDE Ports Support 4 pcs HDD/CD ROM

• PIO Mode 3 or 4

***BIOS**

ı@ıEAMI BIOS

ı@ıEPnP

ı@ıEWindows '95

ı@ıEAPM 1.2

ı@ıEHigh FLEX

ı@ıENCR SCSI

ı@ıEFlash EPROM

ı@ıEDMI

***Dimension**

ı@ıEATX Form Factor 30.5cm x 22.5cm

Please contact our sales@serv.biostar.com.tw with questions or comments.

Copyrights (C) 1997-99 by BIOSTAR. All rights reserved.