

We raden je aan om je lokale website te selecteren en bezoeken voor relevantere producten, promoties en evenementen.

Stay here

Naar je lokale website gaan

P4B533



Product Support For

P4B533

[Find Another Model >](#)

By registering your device, you can easily manage your product warranty, get technical support and keep track of your repair status.

[Register Product](#)

CPU / Memory Support

Driver & Utility

FAQ
















Manual & Document



Warranty

CPU SUPPORT

The following table shows the supported CPUs for this motherboard [Click here to search other motherboards.](#)

CPU	Validated since PCB	Validated since BIOS	Note
Celeron 1.7 GHz (400 FSB, L2 cache:128KB)	ALL	1003 GO	
Celeron 1.8 GHz (400 FSB, L2 cache:128KB)	ALL	1003 GO	
Celeron 2.0 GHz (400 FSB, L2 cache:128KB)	ALL	1011 GO	
Celeron 2.1 GHz (400 FSB, L2 cache:128KB)	ALL	1011 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Celeron 2.2 GHz (400 FSB, L2 cache:128KB)	ALL	1011 	
Celeron 2.3 GHz (400 FSB, L2 cache:128KB)	ALL	1014 	
Celeron 2.4 GHz (400 FSB, L2 cache:128KB)	ALL	1014 	
Celeron 2.5 GHz (400 FSB, L2 cache:128KB)	ALL	1015 	
Celeron 2.6 GHz (400 FSB, L2 cache:128KB)	ALL	1015 	
Celeron 2.7 GHz (400 FSB, L2 cache:128KB)	ALL	1015.003 	
Celeron 2.8 GHz (400 FSB, L2 cache:128KB)	ALL	1015.003 	
P4-1.4 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL 	
P4-1.5 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL 	
P4-1.6 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL 	
P4-1.6A GHz (Socket478, 400 FSB, L2 cache:512KB)	ALL	1002 	
P4-1.7 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL 	
P4-1.8 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL 	
P4-1.8A GHz (Socket478, 400 FSB, L2 cache:512KB)	ALL	1002 	
P4-1.9 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL 	

CPU	Validated since PCB	Validated since BIOS	Note
P4-2 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL 	
P4-2.20 GHz (400 FSB, L2 cache:512KB)	ALL	1002 	
P4-2.26 GHz (533 FSB, L2 cache:512KB)	ALL	1002 	
P4-2.40 GHz (400 FSB, L2 cache:512KB)	ALL	1002 	
P4-2.40B GHz (533 FSB, L2 cache:512KB)	ALL	1002 	
P4-2.50 GHz (400 FSB, L2 cache:512KB)	ALL	1008 	
P4-2.53 GHz (533 FSB, L2 cache:512KB)	ALL	1002 	
P4-2.60 GHz (400 FSB, L2 cache:512KB)	ALL	1008 	
P4-2.66 GHz (533 FSB, L2 cache:512KB)	ALL	1008 	
P4-2.80 GHz (533 FSB, L2 cache:512KB)	ALL	1008 	
P4-2A GHz (Socket478, 400 FSB, L2 cache:512KB)	ALL	1002 	
P4-3.06 GHz (533 FSB, L2 cache:512KB, HT, C1/D1)	1.03	1011 	With IAA version 2.2.2 or later.

NEED HELP?

 [Email Us](#)  [Find service locations](#)

Shop and Learn

Mobile / Handhelds

Phones

Accessories

Laptops

For Home

For Work

For Creators

For Students

For Gaming

Accessories

Displays / Desktops

Monitors

Projectors

All-in-One PCs

Tower PCs

Gaming Tower PCs

NUCs

Mini PCs

Workstations

Accessories

Motherboards / Components

Motherboards

Graphics Cards

Gaming Cases

Cooling

Power Supply Units

Sound Cards

Optical Drives

Data Storage

External Graphics Docks

Networking / IoT / Servers

WiFi 7

WiFi 6

WiFi Routers

Whole Home Mesh WiFi System

Business Network Solutions

Wired Networking

Intelligent Robots

AIoT & Industrial Solutions

Servers

Smart Home

Accessories

Keyboards

Mice and Mouse Pads

Headsets and Audio

Streaming Kits

Apparel Bags and Gear

Cases and Protection

Adapters and Chargers

Docks Dongles and Cable

Power Banks

Controller

Gimbal

Learn More

Asus Design Center

ASUSPRO

Automotive Solutions

AVC Licensing Notice

ASUS Blog

Support

Check Repair Status

Find Service Locations

Product Registration

Email Us

Call Us

Security Advisory

ASUS Support Videos

MyASUS

About Us

About ASUS

News

Investor Relations

About CSR for global

Press Room

ASUSTOR Inc.

ASUS Cloud Corporation

UniMax Electronics Inc.

