

We raden je aan om je lokale website te selecteren en bezoeken voor relevantere producten, promoties en evenementen.

Stay here

Naar je lokale website gaan

P4B533-E



Product support for

P4B533-E

[Find another model >](#)

By registering your device, you can easily manage your product warranty, get technical support and keep track of your repair status.

Register Product

CPU / Memory Support

Driver & Tools

FAQ

Manual & Document

Warranty

CPU SUPPORT

The following table shows the supported CPUs for this motherboard [Click here to search other motherboards.](#)















CPU	Validated since PCB	Validated since BIOS	Note
Celeron 1.7 GHz (400 FSB, L2 cache:128KB)	ALL	1003 GO	
Celeron 1.8 GHz (400 FSB, L2 cache:128KB)	ALL	1003 GO	
Celeron 2.0 GHz (400 FSB, L2 cache:128KB)	ALL	1009 GO	
Celeron 2.1 GHz (400 FSB, L2 cache:128KB)	ALL	1009 GO	
Celeron 2.2 GHz (400 FSB, L2 cache:128KB)	ALL	1009 GO	
Celeron 2.3 GHz (400 FSB, L2 cache:128KB)	ALL	1014 GO	
Celeron 2.4 GHz (400 FSB, L2 cache:128KB)	ALL	1014 GO	

We raden je aan om je lokale website te selecteren en bezoeken voor relevantere producten, promoties en evenementen.

Stay here

Naar je lokale website gaan

P4B533-E

Celeron 2.6 GHz (400 FSB, L2 cache:128KB)	ALL	1015.002 
Celeron 2.7 GHz (400 FSB, L2 cache:128KB)	ALL	1015.003 
Celeron 2.8 GHz (400 FSB, L2 cache:128KB)	ALL	1015.003 
P4-1.4 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL 
P4-1.5 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL 
P4-1.6 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL 
P4-1.6A GHz (Socket478, 400 FSB, L2 cache:512KB)	ALL	1002 
P4-1.7 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL 
P4-1.8 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL 
P4-1.8A GHz (Socket478, 400 FSB, L2 cache:512KB)	ALL	1002 
P4-1.9 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL 
P4-2 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL 
P4-2.20 GHz (400 FSB, L2 cache:512KB)	ALL	1002 
P4-2.26 GHz (533 FSB, L2 cache:512KB)	ALL	1002 
P4-2.40 GHz (400 FSB, L2 cache:512KB)	ALL	1002

We raden je aan om je lokale website te selecteren en bezoeken voor relevantere producten, promoties en evenementen.

Stay here

Naar je lokale website gaan

P4B533-E

P4-2.400 GHz (333 FSB, L2 cache:512KB)	ALL	1008	GO
P4-2.50 GHz (400 FSB, L2 cache:512KB)	ALL	1008	GO
P4-2.53 GHz (533 FSB, L2 cache:512KB)	ALL	1002	GO
P4-2.60 GHz (400 FSB, L2 cache:512KB)	ALL	1008	GO
P4-2.66 GHz (533 FSB, L2 cache:512KB)	ALL	1008	GO
P4-2.80 GHz (533 FSB, L2 cache:512KB)	ALL	1008	GO
P4-2A GHz (Socket478, 400 FSB, L2 cache:512KB)	ALL	1002	GO
P4-3.06 GHz (533 FSB, L2 cache:512KB, HT, C1/D1)	1.02	1011	GO

With IAA version 2.2.2 or later.

NEED HELP?

 [Find service locations](#)

Shop and Learn

Laptops	Tower PCs
For Home	Mini PCs
For Work	NUCs
For Creators	Workstations
For Students	Motherboards / Components
For Gaming	Motherboards
Mobile / Handhelds	Gaming Case
Phones	Cooling

WiFi 6
WiFi Routers
Whole Home Mesh WiFi System
AIoT & Industrial Solution
Servers
Smart Home
Accessories

Learn More

Partner Portal
ASUS PC DIY
Become a Reseller
Edge Up
Insider's Edge

Support

ASUS Premium Care
ASUS Repair Services
ASUS Support Videos
Commercial Support

About Us

About ASUS
Careers
Corporate Social Responsibility
News
Internal Audit
Press Room
Where to Buy

We raden je aan om je lokale website te selecteren en bezoeken voor relevantere producten, promoties en evenementen.

Stay here

Naar je lokale website gaan

P4B533-E

Gaming Tower PCs

Networking / IoT / Servers

Cases and Protection

Adapters and Chargers

Docks, Dongles and Cable

AVC
Licensing
Notice

ASUS Blog

Rebate
Center

Recalls

Security
Advisory

Warranty
Extension

