



Product Support For

P4S800

[Find Another Model](#) >

Get Product Support

[Register Product](#)

CPU / Memory Support

Driver & Utility

FAQ

Manual & Document


CPU SUPPORT

CPU Support

Memory / Device Support

NEED HELP?














 [Email Us](#)

 [Find service locations](#)















The following table shows the supported CPUs for this motherboard [Click here to search other motherboards.](#)

CPU	Validated since PCB	Validated since BIOS	Note
Celeron 1.7 GHz (400 FSB) 2		ALL	















P4S800

Celeron 2.0 GHz (400 FSB, L2 cache:128KB)	ALL	ALL	
Celeron 2.1 GHz (400 FSB, L2 cache:128KB)	ALL	ALL	
Celeron 2.2 GHz (400 FSB, L2 cache:128KB)	ALL	ALL	
Celeron 2.3 GHz (400 FSB, L2 cache:128KB)	ALL	ALL	
Celeron 2.4 GHz (400 FSB, L2 cache:128KB)	ALL	ALL	
Celeron 2.5 GHz (400 FSB, L2 cache:128KB)	ALL	1003	
Celeron 2.6 GHz (400 FSB, L2 cache:128KB)	ALL	1003	
Celeron 2.7 GHz (400 FSB, L2 cache:128KB)	ALL	1006	
Celeron 2.8 GHz (400 FSB, L2 cache:128KB)	ALL	1006	
Celeron D 310 revE0(2.13 GHz, 533 FSB, Socket478)	2.01		
Celeron D 310 revG0(2.13 GHz, 533 FSB, Socket478)	ALL	1011.001	
Celeron D 315 (2.26 GHz, 533 FSB, Socket478)	ALL	1009	
Celeron D 320 (2.4 GHz, 533 FSB, Socket478)	ALL	1009	














P4S800







			
Celeron D 325 (2.53 GHz, 533 FSB, Socket478, revE0)	ALL	1010	
Celeron D 330 (2.66 GHz, 533 FSB, Socket478)	2.01	1009	
Celeron D 335 (2.8 GHz, 533 FSB, Socket478)	2.01	1009	
Celeron D 340 (2.93 GHz, 533 FSB, Socket478)	2.01	1009	
Celeron D 345 (3.06 GHz, 533 FSB, Socket478)	2.01	1009	
Celeron D 350 (3.20 GHz, 533 FSB, Socket478, revE0)	ALL	1009	
P4-1.4 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL	
P4-1.5 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL	
P4-1.6 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL	
P4-1.6A GHz (Socket478, 400 FSB, L2 cache:512KB)	ALL	ALL	
P4-1.7 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL	
P4-1.8 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL	
P4-1.8A GHz (Socket478, 400 FSB, L2 cache:512KB)	ALL	ALL	

P4S800

			
P4-2 GHz (Socket478, 400 FSB, L2 cache:256KB)	ALL	ALL	
P4-2.20 GHz (400 FSB, L2 cache:512KB)	ALL	ALL	
P4-2.26 GHz (533 FSB, L2 cache:512KB)	ALL	ALL	
P4-2.40 GHz (400 FSB, L2 cache:512KB)	ALL	ALL	
P4-2.40A GHz (533 FSB, L2 cache:1MB, 90nm)	2.00	1009	
P4-2.40B GHz (533 FSB, L2 cache:512KB)	ALL	ALL	
P4-2.40C GHz (800 FSB, L2 cache:512KB, HT)	ALL	1004	
P4-2.50 GHz (400 FSB, L2 cache:512KB)	ALL	ALL	
P4-2.53 GHz (533 FSB, L2 cache:512KB)	ALL	ALL	
P4-2.60 GHz (400 FSB, L2 cache:512KB)	ALL	ALL	
P4-2.60C GHz (800 FSB, L2 cache:512KB, HT)	ALL	1004	
P4-2.66 GHz (533 FSB, L2 cache:512KB)	ALL	ALL	
P4-2.80 GHz (533 FSB, L2	ALL	ALL	

P4S800

			
P4-2.80C GHz (800 FSB, L2 cache:512KB, HT, D1)	ALL	ALL	
P4-2.80E GHz (800 FSB, L2 cache:1MB, HT, 90nm, CO)	ALL	1009	
P4-2A GHz (Socket478, 400 FSB, L2 cache:512KB)	ALL	ALL	
P4-3 GHz (800 FSB, L2 cache:512KB, HT, D1/M0)	ALL	ALL	
P4-3.06 GHz (533 FSB, L2 cache:512KB, HT, C1/D1)	ALL	ALL	
P4-3.20 GHz (800 FSB, L2 cache:512KB, HT, D1)	ALL	1003	
P4-3.20 GHz Extreme Ed. (800 FSB, HT)	ALL	1006	
P4-3.20E GHz (800 FSB, L2 cache:1MB, HT, 90nm)	2.01	1009	
P4-3.40 GHz (800 FSB, L2 cache:512KB, HT, D1)	2.00	1006	
P4-3.40 GHz Extreme Ed. (Socket478, 800 FSB, HT)	2.00	1006	
P4-3.40E GHz (800 FSB, L2 cache:1MB, HT, 90nm)	2.01	1009	
P4-3E GHz (800 FSB, L2 cache:1MB, HT, 90nm)	2.01	1009	

Shop and Learn			Learn More	About Us	Community
Mobile	Workstations	Wired Networking	Asus Design Center	About ASUS	    
Phones	Accessories	Intelligent Robots	ASUSPRO	News	
Accessories	Motherboards / Components	AIoT & Industrial Solutions	Automotive Solutions	Investor Relations	
Laptops	Motherboards	Servers		About CSR for global	
For Home	Graphics Cards	Smart Home	Support	Press Room	
For Work	Gaming Cases	Accessories	Check Repair Status	ASUSTOR Inc.	
For Creators	Cooling	Keyboards	Find Service Locations	ASUS Cloud Corporation	
For Students	Power Supply Units	Mice and Mouse Pads	Product Registration	UniMax Electronics Inc.	
For Gaming	Sound Cards	Headsets and Audio	Email Us		
Accessories	Optical Drives	Streaming Kits	Call Us		
Displays / Desktops	Data Storage	Apparel Bags and Gear	Security Advisory		
Monitors	External Graphics Docks	Cases and Protection	ASUS Support Videos		
Projectors	Networking / IoT / Servers	Adapters and Chargers	MyASUS		
All-in-One PCs	WiFi Routers	Docks Dongles and Cable			
Tower PCs	Whole Home Mesh WiFi System	Power Banks			
Gaming Tower PCs		Controller			
Mini PCs		Gimbal			
		Display Accessories			