

P5GC-MX/1333



ProArt

ASUS IoT

Gaming

Business



Mobile

Laptops

Displays /
Desktops

Motherboards /
Components

Networking / IoT /
Servers

Accessories

Support



Product Support For

P5GC-MX/1333

[Find Another Model >](#)

By registering your device, you can easily manage your product warranty, get technical support and keep track of your repair status.

[Register Product](#)

CPU / Memory Support

Driver & Utility

FAQ

Manual & Document

Warranty

CPU SUPPORT



CPU Support

Memory / Device Support

P5GC-MX/1333




Find service locations

Celeron 420(1.60GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0205 GO
Celeron 430(1.80GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0205 GO
Celeron 440(2.00GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0205 GO
Celeron 450(2.2GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0402 GO
Celeron D 325J (2.53 GHz, 533 FSB, LGA775)	ALL	0205 GO
Celeron D 330J (2.66 GHz, 533 FSB, LGA775)	ALL	0205 GO
Celeron D 331(2.66 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0205 GO
Celeron D 331(2.66 GHz, 533 FSB, revG1, LGA775)	ALL	0205 GO



P5GC-MX/1333

Celeron D 335J (2.80 GHz, 533 FSB, LGA775)	ALL	GO	
Celeron D 336 (2.80 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0205 GO	
Celeron D 336 (2.80 GHz, 533 FSB, revG1, LGA775)	ALL	0205 GO	
Celeron D 346 (3.06 GHz, 533 FSB, revG1, LGA775)	ALL	0205 GO	
Celeron D 347 (revD0,65nm,3.06GHz, 533 FSB, L2:512KB, LGA775)	ALL	0205 GO	
Celeron D 351 (3.2 GHz, 533 FSB, revG1, LGA775)	ALL	0205 GO	
Celeron D 352 (revC1,65nm,3.20 GHz, 533 FSB, L2:512KB, LGA775)	ALL	0205 GO	
Celeron Dual Core E1200(revM0,1.6GHz,800 FSB,L2:512K)	ALL	0207 GO	
Celeron Dual Core E1400 (revM0,2.0GHz, 800 FSB, L2: 512K)	ALL	0207 GO	

P5GC-MX/1333

Celeron Dual Core E1300(revR0,2.4GHz,800FSB,L2: 512K)	ALL		GO
Celeron Dual Core E3200(revR0,2.4GHz,800FSB,L2: 1M)	3.05G	0413	GO
Celeron Dual Core E3300(revR0,2.5GHz,800FSB,L2: 1M)	3.05G	0413	GO
Core 2 Duo E4300 (1.8GHz,800FSB,L2:2MB,65W,rev.L2)	ALL	0205	GO
Core 2 Duo E4400 (2.0GHz,800FSB,L2:2MB,65W,rev.L2)	ALL	0205	GO
Core 2 Duo E4400 (2.0GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0205	GO
Core 2 Duo E4500 (2.2GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0205	GO
Core 2 Duo E4600 (2.4GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0207	GO
Core 2 Duo E4700 (2.6GHz,800FSB,L2:2MB,revG0)	ALL	0207	GO



P5GC-MX/1333


Core 2 Duo E6300 (1.86GHz,1066FSB,L2:2MB,rev.B2)	ALL	0205 	
Core 2 Duo E6300 (1.86GHz,1066FSB,L2:2MB,rev.L2)	ALL	0205 	
Core 2 Duo E6320 (1.86GHz,1066FSB,L2:4MB,rev.B2)	ALL	0205 	
Core 2 Duo E6400 (2.13GHz,1066FSB,L2:2MB,rev.B2)	ALL	0205 	
Core 2 Duo E6400 (2.13GHz,1066FSB,L2:2MB,rev.L2)	ALL	0205 	
Core 2 Duo E6420 (2.13GHz,1066FSB,L2:4MB,rev.B2)	ALL	0205 	
Core 2 Duo E6540 (2.33GHz,1333FSB,L2:4MB,rev.GO)	ALL	0205 	O.C support FSB1333 CPUs
Core 2 Duo E6550 (2.33GHz,1333FSB,L2:4MB,rev.GO)	ALL	0205 	O.C support FSB1333 CPUs
Core 2 Duo E6600 (2.40GHz,1066FSB,L2:4MB,rev.B2)	ALL	0205 	



P5GC-MX/1333










Core 2 Duo E6700 (2.66GHz,1066FSB,L2:4MB,rev.B2)	ALL		
Core 2 Duo E6750 (2.66GHz,1333FSB,L2:4MB,rev.G0)	ALL	0205 	O.C support FSB1333 CPUs
Core 2 Duo E6850 (3.00GHz,1333FSB,L2:4MB,rev.G0)	ALL	0205 	O.C support FSB1333 CPUs
Core 2 Duo E7200(2.53GHz,1066FSB,L2:3MB,rev.M0)	ALL	0413 	
Core 2 Duo E7300(2.66GHz,1066FSB,L2:3MB,rev.M0)	ALL	0312 	
Core 2 Duo E7400(2.80GHz,1066FSB,L2:3MB,rev.R0)	ALL	0407 	
Core 2 Duo E7500(2.93GHz,1066FSB,L2:3MB,rev.R0)	ALL	0407 	
Core 2 Duo E8190(2.66GHz,1333FSB,L2:6MB,rev.C0)	ALL	0404 	beta 
Core 2 Duo E8200 (2.66GHz,1333FSB,L2:6MB,rev.C0)	ALL	0312 	O.C support FSB1333 CPUs

P5GC-MX/1333

Core 2 Duo E6800 (2.83GHz,1333FSB,L2:6MB,rev.C0)	ALL		O.C support FSB1333 CPUs
Core 2 Duo E8400 (3.00GHz,1333FSB,L2:6MB,65W,rev.E0)	ALL	0402 	O.C support FSB1333 CPUs
Core 2 Duo E8400 (3.00GHz,1333FSB,L2:6MB,rev.C0)	ALL	0312 	O.C support FSB1333 CPUs
Core 2 Duo E8500 (3.16GHz,1333FSB,L2:6MB,65W,rev.E0)	ALL	0402 	O.C support FSB1333 CPUs
Core 2 Duo E8500 (3.16GHz,1333FSB,L2:6MB,rev.C0)	ALL	0312 	O.C support FSB1333 CPUs
Core 2 Duo E8600 (3.33GHz,1333FSB,L2:6MB,65W,rev.E0)	ALL	0402 	O.C support FSB1333 CPUs
Core 2 Duo E8600 (3.33GHz,1333FSB,L2:6MB,rev.C0)	ALL	0404 	beta
Core 2 Extreme X6800(2.93GHz,1066FSB,L2:4MB,revB2)	ALL	0205 	
P4-506 (2.66 GHz) (533 FSB, EM64T)(E0,D0)	ALL	0205 	












P5GC-MX/1333

P4-506 (2.66 GHz) (533 FSB, EM64T, revG1)	ALL	
P4-511 (2.8 GHz) (533 FSB, EM64T, revG)	ALL	0205 
P4-511 (2.8 GHz) (533 FSB, revE0, EM64T)	ALL	0205 
P4-516 (2.93 GHz) (533 FSB, EM64T, revG1)	ALL	0205 
P4-520/520J (2.8E GHz) (800 FSB) (D0)	ALL	0205 
P4-520/520J (2.8E GHz) (800 FSB) (E0)	ALL	0205 
P4-521 (2.8GHz, 800 FSB, HT, L2 1MB)(D0,E0)	ALL	0205 
P4-524 (3.06GHz, 533 FSB, HT, L2 1M, revG1)	ALL	0205 
P4-531 (3GHz, 800 FSB, L2 1MB)(D0,E0)	ALL	0205 












P5GC-MX/1333

P4-540/540J (3.2E GHz) (800 FSB) (E0,DO)	ALL	
P4-551 (3.4GHz, 800 FSB, L2 1MB,DO,E0)	ALL	0205 
P4-570J (3.8 GHz) (800 FSB) (D0,E0)	ALL	0205 
P4-630 (3.0E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0205 
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revB1)	ALL	0205 
P4-640 (3.2E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0205 
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revB1)	ALL	0205 
P4-650 (3.4E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0205 
P4-651 (65nm,3.4GHz, 800 FSB, L2:2MB, revB1)	ALL	0205 












P5GC-MX/1333

P4-661 (65nm,3.6GHz, 800 FSB, L2:2MB, revB1)	ALL	
P4-662 (3.6 GHz, 800 FSB, L2:2MB, EM64T, HT, revR0)	ALL	0205 
P4-670 (3.8 GHz, 800 FSB, L2:2MB,NO)	ALL	0205 
Pentium D 805 (2.66 GHz, 533 FSB, revB0)	ALL	0205 
Pentium D 820 (2.8 GHz, 800 FSB, revA0)	ALL	0205 
Pentium D 820 (2.8 GHz, 800 FSB, revB0)	ALL	0205 
Pentium D 830 (3.0 GHz, 800 FSB, revA0)	ALL	0205 
Pentium D 830 (3.0 GHz, 800 FSB, revB0)	ALL	0205 
Pentium D 840 (3.2 GHz, 800 FSB, revA0)	ALL	0205 



P5GC-MX/1333

Pentium D 840 (3.2 GHz, 800 FSB, revB0)	ALL	
Pentium D 915(2.8GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0205 
Pentium D 920(2.8GHz, 800 FSB, L2 4MB, revB1)	ALL	0205 
Pentium D 925(3.0GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0205 
Pentium D 930(3.0GHz, 800 FSB, L2 4MB, revB1)	ALL	0205 
Pentium D 935(3.2GHz, 800 FSB, L2 4MB, 95W, revD0)	ALL	0205 
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revB1)	ALL	0205 
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revC1)	ALL	0205 
Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0205 



P5GC-MX/1333

Pentium D 710(3.1GHz, 800 FSB, L2 1MB, revD0, without VT function)	ALL	0205	GO
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revB1)	ALL	0205	GO
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revC1)	ALL	0205	GO
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revC1)	ALL	0205	GO
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revD0)	ALL	0205	GO
Pentium Dual Core E2140(1.6GHz, 800FSB, L2 1MB,L2)	ALL	0205	GO
Pentium Dual Core E2140(1.6GHz,800FSB,L2 1MB,M0)	ALL	0205	GO
Pentium Dual Core E2160(1.8GHz, 800FSB, L2 1MB,L2)	ALL	0205	GO
Pentium Dual Core E2160(1.8GHz,800FSB,L2 1MB,M0)	ALL	0205	GO



P5GC-MX/1333

Pentium Dual Core E2100(2.0GHz,800FSB,L2 1MB,M0)	ALL		GO
Pentium Dual Core E2200(2.2GHz,800FSB,L2 1MB,M0)	ALL	0108	GO
Pentium Dual Core E2210(2.2GHz,800FSB,L2 1MB,R0)	ALL	0413	GO
Pentium Dual Core E2220(2.4GHz,800FSB,L2 1MB,M0)	ALL	0108	GO
Pentium Dual Core E5000 (3.4GHz,800FSB,L2:2MB,rev.R0)	ALL	0413	GO
Pentium Dual Core E5200 (2.50GHz,800FSB,L2:2MB,rev.M0)	ALL	0413	GO
Pentium Dual Core E5200(2.50GHz,800FSB,L2:2MB,rev.R0)	3.05G	0413	GO
Pentium Dual Core E5300 (2.60GHz,800FSB,L2:2MB,rev.R0)	ALL	0407	GO
Pentium Dual Core E5400 (2.70GHz,800FSB,L2:2MB,rev.R0)	ALL	0407	GO



P5GC-MX/1333

Pentium Dual Core E5500 (2.8GHz,800FSB,L2:2MB,rev.R0)	ALL	GO
Pentium Dual Core E5700 (3.0GHz,800FSB,L2:2MB,rev.R0)	ALL	0413 GO
Pentium Dual Core E6500 (2.93GHz,1066FSB,L2:2MB,rev.R0)	3.05G	0413 GO
Pentium Dual Core E6500K (2.93GHz,1066FSB,L2:2MB,rev.R0)	3.05G	0410 GO
Pentium Dual Core E6700 (3.2GHz,1066FSB,L2:2MB,rev.R0)	ALL	0413 GO
Pentium Dual Core E6800 (3.3GHz,1066FSB,L2:2MB,rev.R0)	ALL	0413 GO

Shop and Learn

Mobile

Phones

Accessories

Laptops

Workstations

Accessories

Motherboards / Components

Motherboards

Wired Networking

Intelligent Robots

AIoT & Industrial Solutions

Servers

Learn More

Asus Design Center

ASUSPRO

Automotive Solutions

Support

Check Repair Status

Find Service Locations

Product Registration

About Us

About ASUS 

News

Investor Relations

About CSR for global

P5GC-MX/1333

For Students

For Gaming

Accessories

Displays / Desktops

Monitors

Projectors

All-in-One PCs

Tower PCs

Gaming Tower PCs

Mini PCs

Power Supply Units

Sound Cards

Optical Drives

Data Storage

External Graphics Docks

Networking / IoT / Servers

WiFi 6

WiFi Routers

Whole Home Mesh WiFi System

Mice and Mouse Pads

Headsets and Audio

Streaming Kits

Apparel Bags and Gear

Cases and Protection

Adapters and Chargers

Docks Dongles and Cable

Power Banks

Controller

Gimbal

ASUS Support Videos

MyASUS

UniMax Electronics Inc.

