

P5GC-MX



ProArt

ASUS IoT

Gaming

Business



Mobile

Laptops

Displays /
Desktops

Motherboards /
Components

Networking / IoT /
Servers

Accessories

Support



Product Support For

P5GC-MX

[Find Another Model >](#)

By registering your device, you can easily manage your product warranty, get technical support and keep track of your repair status.

[Register Product](#)

CPU / Memory Support

Driver & Utility

FAQ

Manual & Document

Warranty

CPU SUPPORT

CPU Support

Memory / Device Support










P5GC-MX












[Find service locations](#)

Celeron 420(1.60GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0314 GO
Celeron 430(1.80GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0314 GO
Celeron 440(2.00GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0314 GO
Celeron D 325J (2.53 GHz, 533 FSB, LGA775)	ALL	0203 GO
Celeron D 330J (2.66 GHz, 533 FSB, LGA775)	ALL	0203 GO
Celeron D 331(2.66 GHz, 533 FSB, revG1, LGA775)	ALL	0203 GO
Celeron D 336 (2.80 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0203 GO
Celeron D 336 (2.80 GHz, 533 FSB, revG1, LGA775)	ALL	0203 GO








P5GC-MX

Celeron D 347 (3.06 GHz, 533 FSB, LGA775)E0,EM64T	ALL	
Celeron D 347 (revD0,65nm,3.06GHz, 533 FSB, L2:512KB, LGA775)	ALL	0203 
Celeron D 351 (3.2 GHz, 533 FSB, revG1, LGA775)	ALL	0203 
Celeron D 352 (65nm,3.20 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0203 
Celeron D 352 (revC1,65nm,3.20 GHz, 533 FSB, L2:512KB, LGA775)	ALL	0203 
Celeron D 356 (65nm,3.33 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0203 
Celeron D 356 (revC1,65nm,3.33 GHz, 533 FSB, L2:512KB, LGA775)	ALL	0203 
Celeron D 360 (65nm,3.46 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0203 
Celeron D 365 (65nm,3.60 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0203 









P5GC-MX

Celeron Dual Core E1200(rev.M0,1.8GHz,800FSB,L2:512K)	ALL			
Celeron Dual Core E1500(rev.M0,2.2GHz,800FSB,L2: 512K)	ALL	0413		
Core 2 Duo E4300 (1.8GHz,800FSB,L2:2MB,65W,rev.L2)	ALL	0203		
Core 2 Duo E4400 (2.0GHz,800FSB,L2:2MB,65W,rev.L2)	ALL	0203		
Core 2 Duo E4500 (2.2GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0314		
Core 2 Duo E4600 (2.4GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0413		
Core 2 Duo E4700 (2.6GHz,800FSB,L2:2MB,rev.G0)	ALL	0413		
Core 2 Duo E6300 (1.86GHz,1066FSB,L2:2MB,rev.B2)	ALL	0203		Due to chipset limitation, 1066FSB processors can only run at a maximum speed of 800FSB on this motherboard.
Core 2 Duo E6320 (1.86GHz,1066FSB,L2:4MB,rev.B2)	ALL	0304		Due to chipset limitation, 1066FSB processors can only run at a maximum

P5GC-MX

Core 2 Duo E6400 (2.13GHz,1066FSB,L2:2MB,rev.B2)	ALL	0203 	Due to chipset limitation, 1066FSB processors can only run at a maximum speed of 800FSB on this motherboard.
Core 2 Duo E6420 (2.13GHz,1066FSB,L2:4MB,rev.B2)	ALL	0304 	Due to chipset limitation, 1066FSB processors can only run at a maximum speed of 800FSB on this motherboard.
Core 2 Duo E6600 (2.40GHz,1066FSB,L2:4MB,rev.B2)	ALL	0203 	Due to chipset limitation, 1066FSB processors can only run at a maximum speed of 800FSB on this motherboard.
Core 2 Duo E6700 (2.66GHz,1066FSB,L2:4MB,rev.B2)	ALL	0203 	Due to chipset limitation, 1066FSB processors can only run at a maximum speed of 800FSB on this motherboard.
Core 2 Duo E7200(2.53GHz,1066FSB,L2:3MB,rev.M0)	ALL	0507 	
Core 2 Duo E7300(2.66GHz,1066FSB,L2:3MB,rev.M0)	ALL	0507 	
Core 2 Duo E8400 (3.00GHz,1333FSB,L2:6MB,65W,rev.E0)	ALL	0404 	beta, Due to chipset limitation, 1333FSB processors can only run at a maximum speed of 1066FSB on this motherboard.










P5GC-MX

Core 2 Duo E8500 (3.16GHz,1333FSB,L2:6MB,65W,rev.E0)	ALL	0404 	Due to chipset limitation, 1333FSB processors can only run at a maximum speed of 1066FSB on this motherboard.
Core 2 Duo E8600 (3.33GHz,1333FSB,L2:6MB,65W,rev.E0)	ALL	0404 	beta, Due to chipset limitation, 1333FSB processors can only run at a maximum speed of 1066FSB on this motherboard.
Core 2 Extreme X6800(2.93GHz,1066FSB,L2:4MB,revB2)	ALL	0203 	Due to chipset limitation, 1066FSB processors can only run at a maximum speed of 800FSB on this motherboard.
P4-3.73 GHz Extreme Ed. (1066 FSB, HT, revN0, LGA775)	ALL	0203 	
P4-506 (2.66 GHz) (533 FSB, EM64T)(E0,D0)	ALL	0203 	
P4-506 (2.66 GHz) (533 FSB, EM64T, revG1)	ALL	0203 	
P4-511 (2.8 GHz) (533 FSB, EM64T, revG)	ALL	0203 	
P4-520/520J (2.8E GHz) (800 FSB) (D0)	ALL	0203 	










P5GC-MX

P4-520/520J (2.8E GHz) (800 FSB) (E0)	ALL	GO
P4-524 (3.06GHz, 533 FSB,HT, L2 1M, revG1)	ALL	0203 GO
P4-540/540J (3.2E GHz) (800 FSB) (E0,D0)	ALL	0203 GO
P4-551 (3.4GHz, 800 FSB, L2 1MB,D0,E0)	ALL	0203 GO
P4-570J (3.8 GHz) (800 FSB) (D0,E0)	ALL	0203 GO
P4-630 (3.0E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0203 GO
P4-640 (3.2E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0203 GO
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revB1)	ALL	0203 GO
P4-650 (3.4E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0203 GO

P5GC-MX

P4-661 (65nm,3.4GHz, 800 FSB, L2:2MB, revB1)	ALL	
P4-651 (65nm,3.4GHz, 800 FSB, L2:2MB, revC1)	ALL	0203 
P4-662 (3.6 GHz, 800 FSB, L2:2MB, EM64T, HT, revR0)	ALL	0203 
P4-670 (3.8 GHz, 800 FSB, L2:2MB,NO)	ALL	0203 
Pentium D 805 (2.66 GHz, 533 FSB, revB0)	ALL	0203 
Pentium D 820 (2.8 GHz, 800 FSB, revA0)	ALL	0203 
Pentium D 830 (3.0 GHz, 800 FSB, revA0)	ALL	0203 
Pentium D 830 (3.0 GHz, 800 FSB, revB0)	ALL	0203 
Pentium D 840 (3.2 GHz, 800 FSB, revB0)	ALL	0203 

P5GC-MX

Pentium D 710(2.6GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	
Pentium D 920(2.8GHz, 800 FSB, L2 4MB, revB1)	ALL	0203 
Pentium D 930(3.0GHz, 800 FSB, L2 4MB, revB1)	ALL	0203 
Pentium D 935(3.2GHz, 800 FSB, L2 4MB, 95W, revD0)	ALL	0305 
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revB1)	ALL	0203 
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revC1)	ALL	0203 
Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0203 
Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revD0, without VT function)	ALL	0203 
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revC1)	ALL	0203 

P5GC-MX

Pentium Dual Core E2050(2.0GHz,800FSB,L2 1MB,revD0)	ALL		GO	
Pentium Dual Core E2140(1.6GHz, 800FSB, L2 1MB,L2)	ALL	0309	GO	
Pentium Dual Core E2160(1.8GHz, 800FSB, L2 1MB,L2)	ALL	0309	GO	
Pentium Dual Core E2180(2.0GHz,800FSB,L2 1MB,M0)	ALL	0314	GO	
Pentium Dual Core E2200(2.2GHz,800FSB,L2 1MB,M0)	ALL	0314	GO	
Pentium Dual Core E2210(2.2GHz,800FSB,L2 1MB,R0)	ALL	0518	GO	
Pentium Dual Core E2220(2.4GHz,800FSB,L2 1MB,M0)	ALL	0314	GO	
Pentium Dual Core E5200 (2.50GHz,800FSB,L2:2MB,rev.M0)	ALL	0404	GO	beta

P5GC-MX

Accessories	Motherboards / Components	AIoT & Industrial Solutions	Automotive Solutions	Locations	Investor Relations
Laptops	Motherboards	Servers	AVC Licensing Notice	Product Registration	About CSR for global
For Home	Graphics Cards	Smart Home	ASUS Blog	Email Us	Press Room
For Work	Gaming Cases	Accessories		Call Us	ASUSTOR Inc.
For Creators	Cooling	Keyboards		Security Advisory	ASUS Cloud Corporation
For Students	Power Supply Units	Mice and Mouse Pads		ASUS Support Videos	UniMax Electronics Inc.
For Gaming	Sound Cards	Headsets and Audio		MyASUS	
Accessories	Optical Drives	Streaming Kits			
Displays / Desktops	Data Storage	Apparel Bags and Gear			
Monitors	External Graphics Docks	Cases and Protection			
Projectors	Networking / IoT / Servers	Adapters and Chargers			
All-in-One PCs	WiFi 6	Docks Dongles and Cable			
Tower PCs	WiFi Routers	Power Banks			
Gaming Tower PCs	Whole Home Mesh WiFi System	Controller			
Mini PCs		Gimbal			



P5GC-MX