

P5GC-MX/GBL



ProArt

ASUS IoT

Gaming

Business



Mobile

Laptops

Displays /
Desktops

Motherboards /
Components

Networking / IoT /
Servers

Accessories

Support



Product Support For

P5GC-MX/GBL

[Find Another Model >](#)

By registering your device, you can easily manage your product warranty, get technical support and keep track of your repair status.

[Register Product](#)

CPU / Memory Support

Driver & Utility

FAQ

Manual & Document

Warranty

CPU SUPPORT

CPU Support

Memory / Device Support










P5GC-MX/GBL



Find service locations

Celeron 420(1.60GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0201	GO
Celeron 430(1.80GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0201	GO
Celeron 440(2.00GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0201	GO
Celeron 450(2.2GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0401	GO
Celeron D 330J (2.66 GHz, 533 FSB, LGA775)	ALL	0201	GO
Celeron D 331(2.66 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0201	GO
Celeron D 331(2.66 GHz, 533 FSB, revG1, LGA775)	ALL	0201	GO
Celeron D 335J (2.80 GHz, 533 FSB, LGA775)	ALL	0201	GO


P5GC-MX/GBL

Celeron D 300 (2.66 GHz, 533 FSB, LGA775)E0,EM64T	ALL	
Celeron D 336 (2.80 GHz, 533 FSB, revG1, LGA775)	ALL	0201 
Celeron D 346 (3.06 GHz, 533 FSB, revG1, LGA775)	ALL	0201 
Celeron D 347 (revD0,65nm,3.06GHz, 533 FSB, L2:512KB, LGA775)	ALL	0201 
Celeron D 351 (3.2 GHz, 533 FSB, revG1, LGA775)	ALL	0201 
Celeron D 352 (revC1,65nm,3.20 GHz, 533 FSB, L2:512KB, LGA775)	ALL	0201 
Celeron Dual Core E1200(revM0,1.6GHz,800 FSB,L2:512K)	ALL	0201 
Celeron Dual Core E1500(revM0,2.2GHz,800 FSB,L2: 512K)	ALL	0201 
Core 2 Duo E4300 (1.8GHz,800FSB,L2:2MB,65W,rev.L2)	ALL	0201 


P5GC-MX/GBL

Core 2 Duo E4400 (2.0GHz,800FSB,L2:2MB,65W,rev.L2)	ALL	GO
Core 2 Duo E4400 (2.0GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0201 GO
Core 2 Duo E4500 (2.2GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0201 GO
Core 2 Duo E4600 (2.4GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0201 GO
Core 2 Duo E6300 (1.86GHz,1066FSB,L2:2MB,rev.B2)	ALL	0201 GO
Core 2 Duo E6300 (1.86GHz,1066FSB,L2:2MB,rev.L2)	ALL	0201 GO
Core 2 Duo E6320 (1.86GHz,1066FSB,L2:4MB,rev.B2)	ALL	0201 GO
Core 2 Duo E6400 (2.13GHz,1066FSB,L2:2MB,rev.B2)	ALL	0201 GO
Core 2 Duo E6400 (2.13GHz,1066FSB,L2:2MB,rev.L2)	ALL	0201 GO








P5GC-MX/GBL

Core 2 Duo E6700 (2.13GHz,1066FSB,L2:4MB,rev.B2)	ALL		
Core 2 Duo E6540 (2.33GHz,1333FSB,L2:4MB,rev.G0)	ALL	0201 	beta,beta,Due to chipset limitation, 1333FSB processors can only run at a maxium speed of 1066FSB on this motherboard.
Core 2 Duo E6550 (2.33GHz,1333FSB,L2:4MB,rev.G0)	ALL	0201 	beta,beta,Due to chipset limitation, 1333FSB processors can only run at a maxium speed of 1066FSB on this motherboard.
Core 2 Duo E6600 (2.40GHz,1066FSB,L2:4MB,rev.B2)	ALL	0201 	
Core 2 Duo E6700 (2.66GHz,1066FSB,L2:4MB,rev.B2)	ALL	0201 	
Core 2 Duo E6750 (2.66GHz,1333FSB,L2:4MB,rev.G0)	ALL	0201 	beta,beta,Due to chipset limitation, 1333FSB processors can only run at a maxium speed of 1066FSB on this motherboard.
Core 2 Duo E6850 (3.00GHz,1333FSB,L2:4MB,rev.G0)	ALL	0201 	beta,beta,Due to chipset limitation, 1333FSB processors can only run at a maxium speed of 1066FSB on this motherboard.









P5GC-MX/GBL

Core 2 Duo E7200(2.53GHz,1066FSB,L2:3MB,rev.M0)	ALL		beta
Core 2 Duo E7300(2.66GHz,1066FSB,L2:3MB,rev.M0)	ALL	0404 	beta
Core 2 Duo E8190(2.66GHz,1333FSB,L2:6MB,rev.C0)	ALL	0404 	beta,beta,Due to chipset limitation, 1333FSB processors can only run at a maxium speed of 1066FSB on this motherboard.
Core 2 Duo E8200 (2.66GHz,1333FSB,L2:6MB,rev.C0)	ALL	0404 	beta,beta,Due to chipset limitation, 1333FSB processors can only run at a maxium speed of 1066FSB on this motherboard.
Core 2 Duo E8300 (2.83GHz,1333FSB,L2:6MB,rev.C0)	ALL	0312 	beta,beta,Due to chipset limitation, 1333FSB processors can only run at a maxium speed of 1066FSB on this motherboard.
Core 2 Duo E8400 (3.00GHz,1333FSB,L2:6MB,65W,rev.E0)	ALL	0401 	beta,beta,Due to chipset limitation, 1333FSB processors can only run at a maxium speed of 1066FSB on this motherboard.
Core 2 Duo E8400 (3.00GHz,1333FSB,L2:6MB,rev.C0)	ALL	0404 	beta,beta,Due to chipset limitation, 1333FSB processors can only run at a maxium speed of 1066FSB on this motherboard.

P5GC-MX/GBL

Core 2 Duo E8500 (3.16GHz,1333FSB,L2:6MB,65W,rev.E0)	ALL	0401 	Due to chipset limitation, 1333FSB processors can only run at a maximum speed of 1066FSB on this motherboard.
Core 2 Duo E8500 (3.16GHz,1333FSB,L2:6MB,rev.C0)	ALL	0404 	beta, beta, Due to chipset limitation, 1333FSB processors can only run at a maximum speed of 1066FSB on this motherboard.
Core 2 Duo E8600 (3.33GHz,1333FSB,L2:6MB,65W,rev.E0)	ALL	0401 	beta, beta, Due to chipset limitation, 1333FSB processors can only run at a maximum speed of 1066FSB on this motherboard.
Core 2 Duo E8600 (3.33GHz,1333FSB,L2:6MB,rev.C0)	ALL	0404 	beta, beta, Due to chipset limitation, 1333FSB processors can only run at a maximum speed of 1066FSB on this motherboard.
Core 2 Extreme X6800(2.93GHz,1066FSB,L2:4MB,rev.B2)	ALL	0201 	
Core 2 Quad Q9400 (rev.R0,2.66GHz,1333FSB,L2:6MB)	ALL	0404 	beta, beta, Due to chipset limitation, 1333FSB processors can only run at a maximum speed of 1066FSB on this motherboard.
Core 2 Quad Q9550(rev.E0,2.83GHz,1333FSB,L2:12MB)	ALL	0404 	beta, beta, Due to chipset limitation, 1333FSB processors can only run at a maximum speed of

P5GC-MX/GBL

Core 2 Quad Q9650(rev.E0,3.00GHz,1333FSB,L2:12MB)	ALL	0404 	beta,beta,Due to chipset limitation, 1333FSB processors can only run at a maxium speed of 1066FSB on this motherboard.
P4-506 (2.66 GHz) (533 FSB, EM64T)(E0,D0)	ALL	0201 	
P4-506 (2.66 GHz) (533 FSB, EM64T, revG1)	ALL	0201 	
P4-511 (2.8 GHz) (533 FSB, EM64T, revG)	ALL	0201 	
P4-511 (2.8 GHz) (533 FSB,revE0, EM64T)	ALL	0201 	
P4-516 (2.93 GHz) (533 FSB, EM64T, revG1)	ALL	0201 	
P4-520/520J (2.8E GHz) (800 FSB) (D0)	ALL	0201 	
P4-520/520J (2.8E GHz) (800 FSB) (E0)	ALL	0201 	










P5GC-MX/GBL

P4-521 (2.8GHz, 800 FSB,HT, L2 1MB)(D0,E0)	ALL	GO
P4-524 (3.06GHz, 533 FSB,HT, L2 1M, revG1)	ALL	0201 GO
P4-531 (3GHz, 800 FSB, L2 1MB)(D0,E0)	ALL	0201 GO
P4-540/540J (3.2E GHz) (800 FSB) (E0,D0)	ALL	0201 GO
P4-551 (3.4GHz, 800 FSB, L2 1MB,D0,E0)	ALL	0201 GO
P4-570J (3.8 GHz) (800 FSB) (D0,E0)	ALL	0201 GO
P4-630 (3.0E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0201 GO
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revB1)	ALL	0201 GO
P4-640 (3.2E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0201 GO










P5GC-MX/GBL

P4-650 (3.4GHz, 800 FSB, L2:2MB, EM64T, revB1)	ALL	GO
P4-650 (3.4E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0201 GO
P4-651 (65nm,3.4GHz, 800 FSB, L2:2MB, revB1)	ALL	0201 GO
P4-661 (65nm,3.6GHz, 800 FSB, L2:2MB, revB1)	ALL	0201 GO
P4-662 (3.6 GHz, 800 FSB, L2:2MB, EM64T, HT, revR0)	ALL	0201 GO
P4-670 (3.8 GHz, 800 FSB, L2:2MB,NO)	ALL	0201 GO
Pentium D 805 (2.66 GHz, 533 FSB, revB0)	ALL	0201 GO
Pentium D 820 (2.8 GHz, 800 FSB, revA0)	ALL	0201 GO
Pentium D 820 (2.8 GHz, 800 FSB, revB0)	ALL	0201 GO










P5GC-MX/GBL

Pentium D 830 (3.0 GHz, 800 FSB, revA0)	ALL	
Pentium D 830 (3.0 GHz, 800 FSB, revB0)	ALL	0201 
Pentium D 840 (3.2 GHz, 800 FSB, revA0)	ALL	0201 
Pentium D 840 (3.2 GHz, 800 FSB, revB0)	ALL	0201 
Pentium D 915(2.8GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0201 
Pentium D 920(2.8GHz, 800 FSB, L2 4MB, revB1)	ALL	0201 
Pentium D 925(3.0GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0201 
Pentium D 930(3.0GHz, 800 FSB, L2 4MB, revB1)	ALL	0201 
Pentium D 935(3.2GHz, 800 FSB, L2 4MB, 95W, revD0)	ALL	0201 

P5GC-MX/GBL

Pentium D 710(3.2GHz, 800 FSB, L2 1MB, revB1)	ALL	
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revC1)	ALL	0201 
Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0201 
Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revD0, without VT function)	ALL	0201 
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revB1)	ALL	0201 
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revC1)	ALL	0201 
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revC1)	ALL	0201 
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revD0)	ALL	0201 
Pentium Dual Core E2140(1.6GHz, 800FSB, L2 1MB,L2)	ALL	0201 

P5GC-MX/GBL

Pentium Dual Core E2160(1.8GHz,800FSB,L2 1MB,M0)	ALL		
Pentium Dual Core E2160(1.8GHz, 800FSB, L2 1MB,L2)	ALL	0201	
Pentium Dual Core E2160(1.8GHz,800FSB,L2 1MB,M0)	ALL	0201	
Pentium Dual Core E2180(2.0GHz,800FSB,L2 1MB,M0)	ALL	0201	
Pentium Dual Core E2200(2.2GHz,800FSB,L2 1MB,M0)	ALL	0201	
Pentium Dual Core E2210(2.2GHz,800FSB,L2 1MB,R0)	ALL	0404	
Pentium Dual Core E2220(2.4GHz,800FSB,L2 1MB,M0)	ALL	0201	
Pentium Dual Core E5000 (3.4GHz,800FSB,L2:2MB,rev.R0)	ALL	0407	
Pentium Dual Core E5200 (2.50GHz,800FSB,L2:2MB,rev.M0)	ALL	0401	

P5GC-MX/GBL

Pentium Dual Core E5500 (2.8GHz,800FSB,L2:2MB,rev.R0)	ALL	GO
Pentium Dual Core E5700 (3.0GHz,800FSB,L2:2MB,rev.R0)	ALL	0404 GO
Pentium Dual Core E6600 (3.06GHz,1066FSB,L2:2MB,rev.R0)	ALL	0404 GO
Pentium Dual Core E6700 (3.2GHz,1066FSB,L2:2MB,rev.R0)	ALL	0404 GO
Pentium Dual Core E6800 (3.3GHz,1066FSB,L2:2MB,rev.R0)	ALL	0404 GO

Shop and Learn

Mobile

Phones

Accessories

Laptops

For Home

For Work

Workstations

Accessories

Motherboards / Components

Motherboards

Graphics Cards

Gaming Cases

Wired Networking

Intelligent Robots

AIoT & Industrial Solutions

Servers

Smart Home

Accessories

Learn More

Asus Design Center

ASUSPRO

Automotive Solutions

AVC Licensing
Notice

ASUS Blog

Support

Check Repair Status

Find Service
Locations

Product Registration

Email Us

Call Us

Security Advisory

About Us

About ASUS

News

Investor Relations

About CSR for global

Press Room

ASUSTOR Inc.

P5GC-MX/GBL

Accessories	Optical Drives	Streaming Kits
Displays / Desktops	Data Storage	Apparel Bags and Gear
Monitors	External Graphics Docks	Cases and Protection
Projectors	Networking / IoT / Servers	Adapters and Chargers
All-in-One PCs	WiFi 6	Docks Dongles and Cable
Tower PCs	WiFi Routers	Power Banks
Gaming Tower PCs	Whole Home Mesh WiFi System	Controller
Mini PCs		Gimbal

