

P5P800-VM



ProArt

Gaming

Business

Mobile

Laptops

Displays /
Desktops

Motherboards /
Components

Networking /
IoT / Servers

AccessoriesSupport



Product Support For P5P800-VM

[Find Another Model](#) >

Get Product Support

Register
Product

CPU / Memory
Support

Driver & Utility

FAQ

Manual &
Document

CPU SUPPORT

CPU Support

Memory / Device Support

NEED HELP?

The following table shows the supported CPUs for this motherboard [Click here to search other motherboards.](#)

[Email Us](#)

[Find service locations](#)

CPU

Validated
since
PCB

Validated since
BIOS

Note

P5P800-VM

Celeron D 325J (2.53 GHz, 533 FSB, LGA775)	ALL	GO
Celeron D 326(2.53 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0109 GO
Celeron D 326(2.53 GHz, 533 FSB, revG1, LGA775)	ALL	0109 GO
Celeron D 330J (2.66 GHz, 533 FSB, LGA775)	ALL	0109 GO
Celeron D 331(2.66 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0109 GO
Celeron D 331(2.66 GHz, 533 FSB, revG1, LGA775)	ALL	0109 GO
Celeron D 335J (2.80 GHz, 533 FSB, LGA775)	ALL	0109 GO
Celeron D 336 (2.80 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0109 GO
Celeron D 336 (2.80 GHz, 533 FSB, revG1, LGA775)	ALL	0109 GO
Celeron D 340J (2.93 GHz, 533 FSB, LGA775)	ALL	0109 GO
Celeron D 341 (2.93 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0109 GO
Celeron D 341 (2.93 GHz, 533 FSB, revG1, LGA775)	ALL	0109 GO
Celeron D 345J (3.06 GHz, 533 FSB, LGA775)	ALL	0109 GO

P5P800-VM

Celeron D 346 (3.06 GHz, 533 FSB, LGA775)E0,EM64T	ALL		GO
Celeron D 346 (3.06 GHz, 533 FSB, revG1, LGA775)	ALL	0109	GO
Celeron D 347 (revD0,65nm,3.06GHz, 533 FSB, L2:512KB, LGA775)	ALL	0605	GO
Celeron D 351 (3.2 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0109	GO
Celeron D 351 (3.2 GHz, 533 FSB, revG1, LGA775)	ALL	0109	GO
Celeron D 352 (65nm,3.20 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0605	GO
Celeron D 352 (revC1,65nm,3.20 GHz, 533 FSB, L2:512KB, LGA775)	ALL	0401	GO
Celeron D 355 (3.33 GHz, 533 FSB, L2:256KB, rev E0, LGA775)	ALL	0109	GO
Celeron D 355 (3.33 GHz, 533 FSB, L2:256KB, revG1, LGA775)	ALL	0109	GO
Celeron D 356 (65nm,3.33 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0605	GO
Celeron D 356 (revC1,65nm,3.33 GHz, 533 FSB, L2:512KB, LGA775)	ALL	0401	GO
Celeron D 360 (65nm,3.46 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0605	GO
Celeron D 365 (65nm,3.60 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0605	GO

P5P800-VM

P4-3.20F GHz (EM64T)	ALL	0109	GO
P4-3.40 GHz Extreme Ed. (800 FSB, HT, revM0, LGA775)	ALL	0109	GO
P4-3.40F GHz (EM64T)	ALL	0109	GO
P4-3.40GHz(FSB800, revR0)	ALL	0109	GO
P4-3.60F GHz (EM64T)	ALL	0109	GO
P4-3.80F GHz (EM64T)	ALL	0109	GO
P4-3.80GHz(FSB800, revR0)	ALL	0109	GO
P4-505/505J (2.66 GHz) (533 FSB)(E0,D0)	ALL	0109	GO
P4-506 (2.66 GHz) (533 FSB, EM64T)(E0,D0)	ALL	0109	GO
P4-506 (2.66 GHz) (533 FSB, EM64T, revG1)	ALL	0109	GO
P4-511 (2.8 GHz) (533 FSB, EM64T, revG)	ALL	0109	GO
P4-511 (2.8 GHz) (533 FSB,revE0, EM64T)	ALL	0109	GO
P4-515 (2.93 GHz) (533 FSB) (E0,D0)	ALL	0109	GO

P5P800-VM

P4-516 (2.93 GHz) (533 FSB, EM64T)(DO,E0)	ALL	0109	GO
P4-516 (2.93 GHz) (533 FSB, EM64T, revG1)	ALL	0109	GO
P4-519K (3.06 GHz) (533 FSB, EM64T, revG1)	ALL	0109	GO
P4-520/520J (2.8E GHz) (800 FSB) (DO)	ALL	0109	GO
P4-520/520J (2.8E GHz) (800 FSB) (EO)	ALL	0109	GO
P4-521 (2.8GHz, 800 FSB,HT, L2 1MB)(DO,E0)	ALL	0109	GO
P4-524 (3.06GHz, 533 FSB,HT, L2 1M, revG1)	ALL	0205	GO
P4-530/530J (3E GHz) (800 FSB) (DO,E0)	ALL	0109	GO
P4-531 (3GHz, 800 FSB, L2 1MB)(DO,E0)	ALL	0109	GO
P4-540/540J (3.2E GHz) (800 FSB) (EO,DO)	ALL	0109	GO
P4-541 (3.2GHz, 800 FSB, L2 1MB)(EO,DO)	ALL	0109	GO
P4-550/550J (3.4E GHz) (800 FSB) (DO.E0)	ALL	0109	GO
P4-551 (3.4GHz, 800 FSB, L2 1MB,DO,E0)	ALL	0109	GO

P5P800-VM

P4-560/560J (3.6 GHz) (800 FSB) (DO,E0)	ALL	0109	GO
P4-561 (3.6GHz, 800 FSB, L2 1MB)	ALL	0109	GO
P4-570J (3.8 GHz) (800 FSB) (DO,E0)	ALL	0109	GO
P4-571 (3.8GHz, 800 FSB, L2 1MB V E0)	ALL	0109	GO
P4-630 (3.0E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0109	GO
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revB1)	ALL	0109	GO
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revD0)	ALL	0605	GO
P4-640 (3.2E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0109	GO
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revB1)	ALL	0109	GO
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revD0)	ALL	0605	GO
P4-650 (3.4E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0109	GO
P4-651 (65nm,3.4GHz, 800 FSB, L2:2MB, revB1)	ALL	0109	GO
P4-660 (3.6E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0109	GO

P5P800-VM

P4-661 (65nm,3.6GHz, 800 FSB, L2:2MB, revB1)	ALL		GO
P4-661 (65nm,3.6GHz, 800 FSB, L2:2MB, revD0)	ALL	0605	GO
P4-662 (3.6 GHz, 800 FSB, L2:2MB, EM64T, HT, revR0)	ALL	0109	GO
P4-670 (3.8 GHz, 800 FSB, L2:2MB,N0)	ALL	0109	GO
P4-672 (3.8 GHz, 800 FSB, L2:2MB, revR0)	ALL	0109	GO
Pentium D 805 (2.66 GHz, 533 FSB, revB0)	ALL	0109	GO
Pentium D 820 (2.8 GHz, 800 FSB, revA0)	ALL	0109	GO
Pentium D 820 (2.8 GHz, 800 FSB, revB0)	ALL	0109	GO
Pentium D 830 (3.0 GHz, 800 FSB, revA0)	ALL	0109	GO
Pentium D 830 (3.0 GHz, 800 FSB, revB0)	ALL	0109	GO
Pentium D 840 (3.2 GHz, 800 FSB, revA0)	ALL	0109	GO
Pentium D 840 (3.2 GHz, 800 FSB, revB0)	ALL	0109	GO
Pentium D 915(2.8GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0401	GO

P5P800-VM

Pentium D 715(2.8GHz, 800 FSB, L2 4MB, revD0,without VT function)	ALL	0109	GO	
Pentium D 920(2.8GHz, 800 FSB, L2 4MB, revB1)	ALL	0109	GO	
Pentium D 925(3.0GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0401	GO	
Pentium D 925(3.0GHz, 800 FSB, L2 4MB, revD0, without VT function)	ALL	0605	GO	
Pentium D 930(3.0GHz, 800 FSB, L2 4MB, revB1)	ALL	0109	GO	
Pentium D 930(3.0GHz, 800 FSB, L2 4MB, revC1)	ALL	0401	GO	
Pentium D 935(3.2GHz, 800 FSB, L2 4MB, 95W, revD0)	ALL	0701	GO	
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revB1)	ALL	0109	GO	
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revC1)	ALL	0401	GO	
Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0401	GO	
Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revD0, without VT function)	ALL	0605	GO	Beta bios
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revB1)	ALL	0109	GO	
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revC1)	ALL	0401	GO	

P5P800-VM

Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revD0)	ALL	GO
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revC1)	ALL	0401	GO
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revD0)	ALL	0605	GO
Pentium Extreme Ed-840 (3.2 GHz, 800 FSB, revA0)	ALL	0109	GO
Pentium Extreme Ed-840 (3.2 GHz, 800 FSB, revB0)	ALL	0109	GO



Shop and Learn

- Mobile Workstations
- Phones Accessories
- Accessories **Motherboards / Components**
- Laptops Motherboards
- For Home Graphics Cards
- For Work Gaming Cases
- For Creators Cooling
- For Students Power Supply Units
- For Gaming Sound Cards
- Accessories Optical Drives
- Displays / Desktops Data Storage
- Monitors External Graphics Docks
- Projectors Networking / IoT / Servers
- All-in-One PCs


Learn More

- Wired Networking
- Intelligent Robots
- AIoT & Industrial Solutions
- Servers
- Smart Home
- Accessories**
- Keyboards
- Mice and Mouse Pads
- Headsets and Audio
- Streaming Kits
- Apparel Bags and Gear
- Cases and Protection

About Us

- About ASUS
- News
- Investor Relations
- About CSR for global
- Press Room
- ASUSTOR Inc.
- ASUS Cloud Corporation
- UniMax Electronics Inc.
- Support**
- Check Repair Status
- Find Service Locations
- Product Registration
- Email Us
- Call Us
- Security Advisory

Community



P5P800-VM

Power Banks

Controller

Gimbal

[Terms of Use Notice](#) | [Privacy Policy](#) | ©ASUSTeK Computer Inc. All rights reserved.

[Global / English](#)