



Product support for

P5PL2-E

[Find another model](#) >

Get Product Support

[Register Product](#)

CPU / Memory Support

Driver & Tools

FAQ

Manual & Document

War

CPU SUPPORT

CPU Support

Memory / Device Support

NEED HELP?

[Email Us](#)

[Find service locations](#)

The following table shows the supported CPUs for this motherboard [Click here to search other motherboards.](#)

CPU	Validated since PCB	Validated since BIOS	
Celeron 420(1.60GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0902	GO

















P5PL2-E

FCB		
Celeron 430(1.80GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0902 GO
Celeron 440(2.00GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0902 GO
Celeron D 351 (3.2 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0202 GO
Celeron D 352 (revC1,65nm,3.20 GHz, 533 FSB, L2:512KB, LGA775)	ALL	0202 GO
Celeron D 355 (3.33 GHz, 533 FSB, L2:256KB, revG1, LGA775)	ALL	0202 GO
Celeron D 356 (65nm,3.33 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0202 GO
Celeron D 356 (revB1, 65nm,3.33 GHz, 533 FSB, L2:512KB, LGA775)	ALL	0202 GO
Celeron D 356 (revC1,65nm,3.33 GHz, 533 FSB, L2:512KB, LGA775)	ALL	0202 GO
Celeron Dual Core E1200(revM0,1.6GHz,800 FSB,L2:512K)	ALL	1002 GO
Celeron Dual Core E1500(revM0,2.2GHz,800 FSB,L2: 512K)	ALL	1002 GO
Core 2 Duo E4300 (1.8GHz,800FSB,L2:2MB,65W,rev.L2)	ALL	0803 GO
Core 2 Duo E4400 (2.0GHz,800FSB,L2:2MB,65W,rev.L2)	ALL	0501 GO
Core 2 Duo E4500 (2.2GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0904 GO
Core 2 Duo E4600 (2.4GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0904 GO















P5PL2-E

FCB		
Core 2 Duo E4700 (2.6GHz,800FSB,L2:2MB,revG0)	ALL	1002 GO
Core 2 Duo E6300 (1.86GHz,1066FSB,L2:2MB,rev.B2)	ALL	0202 GO
Core 2 Duo E6320 (1.86GHz,1066FSB,L2:4MB,rev.B2)	ALL	0801 GO
Core 2 Duo E6400 (2.13GHz,1066FSB,L2:2MB,rev.B2)	ALL	0202 GO
Core 2 Duo E6420 (2.13GHz,1066FSB,L2:4MB,rev.B2)	ALL	0801 GO
Core 2 Duo E6600 (2.40GHz,1066FSB,L2:4MB,rev.B2)	ALL	0202 GO
Core 2 Duo E6700 (2.66GHz,1066FSB,L2:4MB,rev.B2)	ALL	0202 GO
Core 2 Extreme X6800(2.93GHz,1066FSB,L2:4MB,revB2)	ALL	0202 GO
P4-3.73 GHz Extreme Ed. (1066 FSB, HT, revN0, LGA775)	ALL	0202 GO
P4-515 (2.93 GHz) (533 FSB)(E0,D0)	ALL	0202 GO
P4-516 (2.93 GHz) (533 FSB, EM64T) (D0,E0)	ALL	0202 GO
P4-530/530J (3E GHz) (800 FSB) (D0,E0)	ALL	0202 GO
P4-551 (3.4GHz, 800 FSB, L2 1MB,D0,E0)	ALL	0202 GO
P4-571 (3.8GHz, 800 FSB, L2 1MB V E0)	ALL	0202 GO

P5PL2-E

FCB		
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revB1)	ALL	0202 
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revC1)	ALL	0202 
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revB1)	ALL	0202 
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revC1)	ALL	0202 
P4-661 (65nm,3.6GHz, 800 FSB, L2:2MB, revB1)	ALL	0202 
P4-661 (65nm,3.6GHz, 800 FSB, L2:2MB, revC1)	ALL	0202 
P4-670 (3.8 GHz, 800 FSB, L2:2MB,N0)	ALL	0202 
P4-672 (3.8 GHz, 800 FSB, L2:2MB, revR0)	ALL	0202 
Pentium D 805 (2.66 GHz, 533 FSB, revB0)	ALL	0202 
Pentium D 820 (2.8 GHz, 800 FSB, revA0)	ALL	0202 
Pentium D 820 (2.8 GHz, 800 FSB, revB0)	ALL	0202 
Pentium D 830 (3.0 GHz, 800 FSB, revA0)	ALL	0202 
Pentium D 830 (3.0 GHz, 800 FSB, revB0)	ALL	0202 
Pentium D 840 (3.2 GHz, 800 FSB, revA0)	ALL	0202 

P5PL2-E

FCB		
Pentium D 840 (3.2 GHz, 800 FSB, revB0)	ALL	0202 
Pentium D 915(2.8GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0202 
Pentium D 915(2.8GHz, 800 FSB, L2 4MB, revD0,without VT function)	ALL	0202 
Pentium D 920(2.8GHz, 800 FSB, L2 4MB, revB1)	ALL	0202 
Pentium D 925(3.0GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0202 
Pentium D 925(3.0GHz, 800 FSB, L2 4MB, revD0, without VT function)	ALL	0202 
Pentium D 930(3.0GHz, 800 FSB, L2 4MB, revB1)	ALL	0202 
Pentium D 930(3.0GHz, 800 FSB, L2 4MB, revC1)	ALL	0202 
Pentium D 935(3.2GHz, 800 FSB, L2 4MB, 95W, revD0)	ALL	0202 
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revB1)	ALL	0202 
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revC1)	ALL	0202 
Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0202 
Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revD0, without VT function)	ALL	0202 
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revB1)	ALL	0202 



FCB		
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revC1)	ALL	0202 GO
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revD0)	ALL	0202 GO
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revC1)	ALL	0202 GO
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revD0)	ALL	0202 GO
Pentium Dual Core E2140(1.6GHz, 800FSB, L2 1MB,L2)	ALL	0803 GO
Pentium Dual Core E2140(1.6GHz,800FSB,L2 1MB,M0)	ALL	0904 GO
Pentium Dual Core E2160(1.8GHz, 800FSB, L2 1MB,L2)	ALL	0803 GO
Pentium Dual Core E2180(2.0GHz,800FSB,L2 1MB,M0)	ALL	0904 GO
Pentium Dual Core E2200(2.2GHz,800FSB,L2 1MB,M0)	ALL	0904 GO
Pentium Dual Core E2220(2.4GHz,800FSB,L2 1MB,M0)	ALL	0904 GO
Pentium Extreme ED-965(3.73GHz, rev C1)	ALL	0202 GO

Shop and Learn

- Mobile
 - Mini PCs
- Phone
 - Workstations
- Laptops
 - Motherboards / Components
- For Home

Learn More

- AIoT & Industrial Solution
- Servers
- Accessories

- Asus Design Center
- ASUSPRO
- Automotive Solutions

About Us

- About ASUS
- News
- Investor Relations

Community



P5PL2-E

For Students	Gaming Case	Pads	Find Service Locations	Press Room
For Gaming	Cooling	Headsets and Audio	Product Registration	ASUSTOR Inc.
Displays / Desktops	Power Supply Units	Gimbal	Email Us	ASUS Cloud Corporation
Monitors	Optical Drives		Call Us	UniMax Electronics Inc.
Projectors	Data Storage		Security Advisory	Where To Buy
All-in-One PCs	Sound Cards		ASUS Support Videos	
Tower PCs	Networking / IoT / Servers		MyASUS	
	WiFi Routers		Download Product Guide	
	Whole Home Mesh WiFi System			

