

P5VD2-VM SE



ProArt

Gaming

Business

Mobile Laptops

Displays /
Desktops

Motherboards /
Components

Networking /
IoT / Servers

Accessories

Support



Product Support For P5VD2-VM SE

[Find Another Model >](#)

Get Product Support

Register Product

CPU / Memory
Support

Driver & Utility

FAQ

Manual &
Document

CPU SUPPORT

CPU Support

Memory / Device Support

NEED HELP?

The following table shows the supported CPUs for this motherboard [Click here to search other motherboards.](#)

[Email Us](#)

[Find service locations](#)

CPU

Validated
since
PCB

Validated
since BIOS

Not

Celeron 420(1.60GHz,800 FSB,L2
512KB,LGA775,revA1)

ALL

0301

GO

P5VD2-VM SE

Celeron 430(1.80GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0301	GO
Celeron 440(2.00GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0211	GO
Celeron D 325J (2.53 GHz, 533 FSB, LGA775)	ALL	0211	GO
Celeron D 330J (2.66 GHz, 533 FSB, LGA775)	ALL	0211	GO
Celeron D 331(2.66 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0211	GO
Celeron D 331(2.66 GHz, 533 FSB, revG1, LGA775)	ALL	0211	GO
Celeron D 335J (2.80 GHz, 533 FSB, LGA775)	ALL	0211	GO
Celeron D 336 (2.80 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0211	GO
Celeron D 336 (2.80 GHz, 533 FSB, revG1, LGA775)	ALL	0211	GO
Celeron D 346 (3.06 GHz, 533 FSB, revG1, LGA775)	ALL	0211	GO
Celeron D 351 (3.2 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0211	GO
Celeron D 352 (revC1,65nm,3.20 GHz, 533 FSB, L2:512KB, LGA775)	ALL	0211	GO
Celeron Dual Core E1200(revM0,1.6GHz,800 FSB,L2:512K)	ALL	0506	GO

P5VD2-VM SE

Celeron Dual Core E1500(rev.M0,2.2GHz,800 FSB,L2: 512K)	ALL	0211	GO
Core 2 Duo E4300 (1.8GHz,800FSB,L2:2MB,65W,rev.L2)	ALL	0211	GO
Core 2 Duo E4400 (2.0GHz,800FSB,L2:2MB,65W,rev.L2)	ALL	0211	GO
Core 2 Duo E4400 (2.0GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0302	GO
Core 2 Duo E4500 (2.2GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0301	GO
Core 2 Duo E4700 (2.6GHz,800FSB,L2:2MB,rev.G0)	ALL	0506	GO
Core 2 Duo E6300 (1.86GHz,1066FSB,L2:2MB,rev.B2)	ALL	0211	GO
Core 2 Duo E6300 (1.86GHz,1066FSB,L2:2MB,rev.L2)	ALL	0211	GO
Core 2 Duo E6320 (1.86GHz,1066FSB,L2:4MB,rev.B2)	ALL	0211	GO
Core 2 Duo E6400 (2.13GHz,1066FSB,L2:2MB,rev.B2)	ALL	0211	GO
Core 2 Duo E6400 (2.13GHz,1066FSB,L2:2MB,rev.L2)	ALL	0211	GO
Core 2 Duo E6420 (2.13GHz,1066FSB,L2:4MB,rev.B2)	ALL	0211	GO
Core 2 Duo E6600 (2.40GHz,1066FSB,L2:4MB,rev.B2)	ALL	0211	GO

P5VD2-VM SE

Core 2 Duo E6700 (2.66GHz,1066FSB,L2:4MB,rev.B2)	ALL		GO
Core 2 Extreme X6800(2.93GHz,1066FSB,L2:4MB,revB2)	ALL	0211	GO
P4-506 (2.66 GHz) (533 FSB, EM64T) (E0,DO)	ALL	0211	GO
P4-511 (2.8 GHz) (533 FSB, EM64T, revG)	ALL	0211	GO
P4-511 (2.8 GHz) (533 FSB,revE0, EM64T)	ALL	0211	GO
P4-516 (2.93 GHz) (533 FSB, EM64T, revG1)	ALL	0211	GO
P4-520/520J (2.8E GHz) (800 FSB) (DO)	ALL	0211	GO
P4-520/520J (2.8E GHz) (800 FSB) (E0)	ALL	0211	GO
P4-521 (2.8GHz, 800 FSB,HT, L2 1MB) (DO,E0)	ALL	0211	GO
P4-524 (3.06GHz, 533 FSB,HT, L2 1M, revG1)	ALL	0211	GO
P4-531 (3GHz, 800 FSB, L2 1MB)(DO,E0)	ALL	0211	GO
P4-540/540J (3.2E GHz) (800 FSB) (E0,DO)	ALL	0211	GO
P4-551 (3.4GHz, 800 FSB, L2 1MB,DO,E0)	ALL	0211	GO

P5VD2-VM SE

P4-630 (3.0E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL		GO
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revB1)	ALL	0211	GO
P4-640 (3.2E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0211	GO
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revB1)	ALL	0211	GO
P4-650 (3.4E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0211	GO
P4-651 (65nm,3.4GHz, 800 FSB, L2:2MB, revB1)	ALL	0211	GO
P4-651 (65nm,3.4GHz, 800 FSB, L2:2MB, revC1)	ALL	0211	GO
P4-661 (65nm,3.6GHz, 800 FSB, L2:2MB, revB1)	ALL	0211	GO
P4-662 (3.6 GHz, 800 FSB, L2:2MB, EM64T, HT, revR0)	ALL	0211	GO
P4-670 (3.8 GHz, 800 FSB, L2:2MB,N0)	ALL	0211	GO
Pentium D 805 (2.66 GHz, 533 FSB, revB0)	ALL	0211	GO
Pentium D 820 (2.8 GHz, 800 FSB, revA0)	ALL	0211	GO
Pentium D 830 (3.0 GHz, 800 FSB, revA0)	ALL	0211	GO

P5VD2-VM SE

Pentium D 830 (3.0 GHz, 800 FSB, revB0)	ALL		GO
Pentium D 840 (3.2 GHz, 800 FSB, revB0)	ALL	0211	GO
Pentium D 915(2.8GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0211	GO
Pentium D 920(2.8GHz, 800 FSB, L2 4MB, revB1)	ALL	0211	GO
Pentium D 925(3.0GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0211	GO
Pentium D 930(3.0GHz, 800 FSB, L2 4MB, revB1)	ALL	0211	GO
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revB1)	ALL	0211	GO
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revC1)	ALL	0211	GO
Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0211	GO
Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revD0, without VT function)	ALL	0211	GO
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revB1)	ALL	0211	GO
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revC1)	ALL	0211	GO
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revD0)	ALL	0211	GO

P5VD2-VM SE

Pentium Dual Core E2140(1.6GHz, 800FSB, L2 1MB,L2)	ALL	0302	GO
Pentium Dual Core E2140(1.6GHz,800FSB,L2 1MB,M0)	ALL	0301	GO
Pentium Dual Core E2160(1.8GHz, 800FSB, L2 1MB,L2)	ALL	0302	GO
Pentium Dual Core E2160(1.8GHz,800FSB,L2 1MB,M0)	ALL	0302	GO
Pentium Dual Core E2180(2.0GHz,800FSB,L2 1MB,M0)	ALL	0503	GO
Pentium Dual Core E2200(2.2GHz,800FSB,L2 1MB,M0)	ALL	0503	GO
Pentium Dual Core E2220(2.4GHz,800FSB,L2 1MB,M0)	ALL	0211	GO
Pentium Extreme ED-965(3.73GHz, rev C1)	ALL		



Shop and Learn

- Mobile
- Phones
- Accessories
- Accessories
- Laptops
- For Home
- For Work
- For Creators
- For Students
- For Gaming
- Workstations
- Accessories
- Motherboards / Components**
- Motherboards
- Graphics Cards
- Gaming Cases
- Cooling
- Power Supply Units
- Sound Cards

Learn More

- Wired Networking
- Intelligent Robots
- AIoT & Industrial Solutions
- Servers
- Smart Home
- Accessories**
- Keyboards
- Mice and Mouse Pads

- Asus Design Center
- ASUSPRO
- Automotive Solutions
- AVC Licensing Notice

Support

- Check Repair Status

About Us

- About ASUS
- News
- Investor Relations
- About CSR for global
- Press Room
- ASUSTOR Inc.
- ASUS Cloud Corporation
- UniMax Electronics Inc.

Community



P5VD2-VM SE

Projectors	Networking / IoT / Servers	Cases and Protection	Email Us
All-in-One PCs	WiFi Routers	Adapters and Chargers	Call Us
Tower PCs	Whole Home Mesh WiFi System	Docks Dongles and Cable	Security Advisory
Gaming Tower PCs		Power Banks	ASUS Support Videos
Mini PCs		Controller	MyASUS
		Gimbal	