

# P5VD2-X



ProArt

Gaming

Business

Mobile

Laptops


Displays /  
Desktops

Motherboards /  
Components

Networking /  
IoT / Servers

Accessories

Support



Product Support For

## P5VD2-X

[Find Another Model](#) >

Get Product Support

Register Product

CPU / Memory  
Support

Driver & Utility

FAQ

Manual &  
Document

# CPU SUPPORT

CPU Support

Memory / Device Support

## NEED HELP?

The following table shows the supported CPUs for this motherboard [Click here to search other motherboards.](#)

[Email Us](#)

[Find service locations](#)

### CPU

Celeron 420(1.60GHz,800 FSB,L2 512KB,LGA775,revA1)

Validated since PCB

ALL

Validated since BIOS

0401

GO

Not

## P5VD2-X

Celeron 430(1.80GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL		GO
Celeron 440(2.00GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0401	GO
Celeron 450(2.2GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0501	GO
Celeron D 325J (2.53 GHz, 533 FSB, LGA775)	ALL	0105	GO
Celeron D 326(2.53 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0105	GO
Celeron D 326(2.53 GHz, 533 FSB, revG1, LGA775)	ALL	0105	GO
Celeron D 330J (2.66 GHz, 533 FSB, LGA775)	ALL	0105	GO
Celeron D 331(2.66 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0105	GO
Celeron D 331(2.66 GHz, 533 FSB, revG1, LGA775)	ALL	0105	GO
Celeron D 335J (2.80 GHz, 533 FSB, LGA775)	ALL	0105	GO
Celeron D 336 (2.80 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0105	GO
Celeron D 336 (2.80 GHz, 533 FSB, revG1, LGA775)	ALL	0105	GO
Celeron D 340J (2.93 GHz, 533 FSB, LGA775)	ALL	0105	GO

## P5VD2-X

Celeron D 341 (2.93 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0105	GO
Celeron D 341 (2.93 GHz, 533 FSB, revG1, LGA775)	ALL	0105	GO
Celeron D 345J (3.06 GHz, 533 FSB, LGA775)	ALL	0105	GO
Celeron D 346 (3.06 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0105	GO
Celeron D 346 (3.06 GHz, 533 FSB, revG1, LGA775)	ALL	0105	GO
Celeron D 347 (revD0,65nm,3.06GHz, 533 FSB, L2:512KB, LGA775)	ALL	0105	GO
Celeron D 351 (3.2 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0105	GO
Celeron D 351 (3.2 GHz, 533 FSB, revG1, LGA775)	ALL	0105	GO
Celeron D 352 (65nm,3.20 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0105	GO
Celeron D 352 (revC1,65nm,3.20 GHz, 533 FSB, L2:512KB, LGA775)	ALL	0105	GO
Celeron D 355 (3.33 GHz, 533 FSB, L2:256KB, rev E0, LGA775)	ALL	0105	GO
Celeron D 355 (3.33 GHz, 533 FSB, L2:256KB, revG1, LGA775)	ALL	0105	GO
Celeron D 356 (65nm,3.33 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0105	GO

## P5VD2-X

Celeron D 356 (revB1, 65nm,3.33 GHz, 533 FSB, L2:512KB, LGA775)	ALL		GO
Celeron D 356 (revC1,65nm,3.33 GHz, 533 FSB, L2:512KB, LGA775)	ALL	0105	GO
Celeron D 360 (65nm,3.46 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0105	GO
Celeron D 365 (65nm,3.60 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0601	GO
Celeron Dual Core E1200(revM0,1.6GHz,800 FSB,L2:512K)	ALL	0501	GO
Celeron Dual Core E1500(revM0,2.2GHz,800 FSB,L2: 512K)	ALL	0501	GO
Core 2 Duo E4300 (1.8GHz,800FSB,L2:2MB,65W,rev.L2)	ALL	0211	GO
Core 2 Duo E4400 (2.0GHz,800FSB,L2:2MB,65W,rev.L2)	ALL	0304	GO
Core 2 Duo E4400 (2.0GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0501	GO
Core 2 Duo E4500 (2.2GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0501	GO
Core 2 Duo E4600 (2.4GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0501	GO
Core 2 Duo E4700 (2.6GHz,800FSB,L2:2MB,revG0)	ALL	0501	GO
Core 2 Duo E6300 (1.86GHz,1066FSB,L2:2MB,rev.B2)	ALL	0105	GO

## P5VD2-X

Core 2 Duo E6300 (1.86GHz,1066FSB,L2:2MB,rev.L2)	ALL		GO
Core 2 Duo E6320 (1.86GHz,1066FSB,L2:4MB,rev.B2)	ALL	0305	GO
Core 2 Duo E6400 (2.13GHz,1066FSB,L2:2MB,rev.B2)	ALL	0105	GO
Core 2 Duo E6400 (2.13GHz,1066FSB,L2:2MB,rev.L2)	ALL	0211	GO
Core 2 Duo E6420 (2.13GHz,1066FSB,L2:4MB,rev.B2)	ALL	0305	GO
Core 2 Duo E6600 (2.40GHz,1066FSB,L2:4MB,rev.B2)	ALL	0105	GO
Core 2 Duo E6700 (2.66GHz,1066FSB,L2:4MB,rev.B2)	ALL	0105	GO
Core 2 Extreme X6800(2.93GHz,1066FSB,L2:4MB,revB2)	ALL	0105	GO
Dual Core Xeon 3040 (1.86GHz,1066FSB,L2:2MB,rev.B2)	ALL	0105	GO
Dual Core Xeon 3050 (2.13GHz,1066FSB,L2:2MB,rev.B2)	ALL	0105	GO
Dual Core Xeon 3060 (2.40GHz,1066FSB,L2:4MB,rev.B2)	ALL	0105	GO
Dual Core Xeon 3070 (2.66GHz,1066FSB,L2:4MB,rev.B2)	ALL	0105	GO
P4-3.20F GHz (EM64T)	ALL	0105	GO

## P5VD2-X

P4-3.40F GHz (EM64T)	ALL	0105	GO
P4-3.40GHz(FSB800, revR0)	ALL	0105	GO
P4-3.60F GHz (EM64T)	ALL	0105	GO
P4-3.80F GHz (EM64T)	ALL	0105	GO
P4-3.80GHz(FSB800, revR0)	ALL	0105	GO
P4-505/505J (2.66 GHz) (533 FSB) (E0,D0)	ALL	0105	GO
P4-506 (2.66 GHz) (533 FSB, EM64T) (E0,D0)	ALL	0105	GO
P4-506 (2.66 GHz) (533 FSB, EM64T, revG1)	ALL	0105	GO
P4-511 (2.8 GHz) (533 FSB, EM64T, revG)	ALL	0105	GO
P4-511 (2.8 GHz) (533 FSB,revE0, EM64T)	ALL	0105	GO
P4-515 (2.93 GHz) (533 FSB)(E0,D0)	ALL	0105	GO
P4-516 (2.93 GHz) (533 FSB, EM64T) (D0,E0)	ALL	0105	GO
P4-516 (2.93 GHz) (533 FSB, EM64T, revG1)	ALL	0105	GO

## P5VD2-X

P4-519K (3.06 GHz) (533 FSB, EM64T, revG1)	ALL	0105	GO
P4-520/520J (2.8E GHz) (800 FSB) (D0)	ALL	0105	GO
P4-520/520J (2.8E GHz) (800 FSB) (E0)	ALL	0105	GO
P4-521 (2.8GHz, 800 FSB,HT, L2 1MB) (D0,E0)	ALL	0105	GO
P4-524 (3.06GHz, 533 FSB,HT, L2 1M, revG1)	ALL	0105	GO
P4-530/530J (3E GHz) (800 FSB) (D0,E0)	ALL	0105	GO
P4-531 (3GHz, 800 FSB, L2 1MB)(D0,E0)	ALL	0105	GO
P4-540/540J (3.2E GHz) (800 FSB) (E0,D0)	ALL	0105	GO
P4-541 (3.2GHz, 800 FSB, L2 1MB) (E0,D0)	ALL	0105	GO
P4-550/550J (3.4E GHz) (800 FSB) (D0.E0)	ALL	0105	GO
P4-551 (3.4GHz, 800 FSB, L2 1MB,D0,E0)	ALL	0105	GO
P4-560/560J (3.6 GHz) (800 FSB) (D0,E0)	ALL	0105	GO
P4-561 (3.6GHz, 800 FSB, L2 1MB)	ALL	0105	GO

## P5VD2-X

P4-570J (3.8 GHz) (800 FSB) (D0,E0)	ALL	0105	GO
P4-571 (3.8GHz, 800 FSB, L2 1MB V E0)	ALL	0105	GO
P4-630 (3.0E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0105	GO
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revB1)	ALL	0105	GO
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revC1)	ALL	0105	GO
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revD0)	ALL	0105	GO
P4-640 (3.2E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0105	GO
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revB1)	ALL	0105	GO
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revC1)	ALL	0105	GO
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revD0)	ALL	0105	GO
P4-650 (3.4E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0105	GO
P4-651 (65nm,3.4GHz, 800 FSB, L2:2MB, revB1)	ALL	0105	GO
P4-651 (65nm,3.4GHz, 800 FSB, L2:2MB, revC1)	ALL	0105	GO



## P5VD2-X

P4-651 (65nm,3.4GHz, 800 FSB, L2:2MB, revD0)	ALL	0105	GO
P4-660 (3.6E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0105	GO
P4-661 (65nm,3.6GHz, 800 FSB, L2:2MB, revB1)	ALL	0105	GO
P4-661 (65nm,3.6GHz, 800 FSB, L2:2MB, revC1)	ALL	0105	GO
P4-661 (65nm,3.6GHz, 800 FSB, L2:2MB, revD0)	ALL	0105	GO
P4-662 (3.6 GHz, 800 FSB, L2:2MB, EM64T, HT, revR0)	ALL	0105	GO
P4-670 (3.8 GHz, 800 FSB, L2:2MB,N0)	ALL	0105	GO
P4-672 (3.8 GHz, 800 FSB, L2:2MB, revR0)	ALL	0105	GO
Pentium D 805 (2.66 GHz, 533 FSB, revB0)	ALL	0105	GO
Pentium D 820 (2.8 GHz, 800 FSB, revA0)	ALL	0105	GO
Pentium D 820 (2.8 GHz, 800 FSB, revB0)	ALL	0105	GO
Pentium D 830 (3.0 GHz, 800 FSB, revA0)	ALL	0105	GO
Pentium D 830 (3.0 GHz, 800 FSB, revB0)	ALL	0105	GO

## P5VD2-X

Pentium D 840 (3.2 GHz, 800 FSB, revA0)	ALL	0105	GO
Pentium D 840 (3.2 GHz, 800 FSB, revB0)	ALL	0105	GO
Pentium D 915(2.8GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0105	GO
Pentium D 915(2.8GHz, 800 FSB, L2 4MB, revD0,without VT function)	ALL	0105	GO
Pentium D 920(2.8GHz, 800 FSB, L2 4MB, revB1)	ALL	0105	GO
Pentium D 925(3.0GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0105	GO
Pentium D 925(3.0GHz, 800 FSB, L2 4MB, revD0, without VT function)	ALL	0105	GO
Pentium D 930(3.0GHz, 800 FSB, L2 4MB, revB1)	ALL	0105	GO
Pentium D 930(3.0GHz, 800 FSB, L2 4MB, revC1)	ALL	0105	GO
Pentium D 935(3.2GHz, 800 FSB, L2 4MB, 95W, revD0)	ALL	0204	GO
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revB1)	ALL	0105	GO
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revC1)	ALL	0105	GO
Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0105	GO

## P5VD2-X

Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revD0, without VT function)	ALL	0105	GO
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revB1)	ALL	0105	GO
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revC1)	ALL	0105	GO
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revD0)	ALL	0105	GO
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revC1)	ALL	0105	GO
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revD0)	ALL	0105	GO
Pentium Dual Core E2140(1.6GHz, 800FSB, L2 1MB,L2)	ALL	0308	GO
Pentium Dual Core E2140(1.6GHz,800FSB,L2 1MB,M0)	ALL	0501	GO
Pentium Dual Core E2160(1.8GHz, 800FSB, L2 1MB,L2)	ALL	0308	GO
Pentium Dual Core E2160(1.8GHz,800FSB,L2 1MB,M0)	ALL	0501	GO
Pentium Dual Core E2180(2.0GHz,800FSB,L2 1MB,M0)	ALL	0501	GO
Pentium Dual Core E2200(2.2GHz,800FSB,L2 1MB,M0)	ALL	0501	GO
Pentium Dual Core E2220(2.4GHz,800FSB,L2 1MB,M0)	ALL	0501	GO

# P5VD2-X

Pentium Extreme Ed-840 (3.2 GHz, 800 FSB, revAO)	ALL	0105	GO
Pentium Extreme Ed-840 (3.2 GHz, 800 FSB, revBO)	ALL	0105	GO
Pentium Extreme ED-955(3.46GHz, rev AO,B1)	ALL	0105	GO
Pentium Extreme ED-965(3.73GHz, rev C1)	ALL	0105	GO



## Shop and Learn

- Mobile
  - Phones
  - Accessories
  - Laptops
  - For Home
  - For Work
  - For Creators
  - For Students
  - For Gaming
  - Accessories
  - Displays / Desktops
  - Monitors
  - Projectors
  - All-in-One PCs
  - Tower PCs
  - Gaming Tower PCs
  - Mini PCs
- Workstations
  - Accessories
  - Motherboards / Components**
  - Motherboards
  - Graphics Cards
  - Gaming Cases
  - Cooling
  - Power Supply Units
  - Sound Cards
  - Optical Drives
  - Data Storage
  - External Graphics Docks
  - Networking / IoT / Servers**
  - WiFi Routers
  - Whole Home Mesh WiFi System

## Learn More


- Wired Networking
- Intelligent Robots
- AIoT & Industrial Solutions
- Servers
- Smart Home
- Accessories**
- Keyboards
- Mice and Mouse Pads
- Headsets and Audio
- Streaming Kits
- Apparel Bags and Gear
- Cases and Protection
- Adapters and Chargers
- Docks Dongles and Cable
- Power Banks

## About Us

- Asus Design Center
- ASUSPRO
- Automotive Solutions
- AVC Licensing Notice
- Support**
- Check Repair Status
- Find Service Locations
- Product Registration
- Email Us
- Call Us
- Security Advisory
- ASUS Support Videos
- MyASUS

## Community

- About ASUS
- News
- Investor Relations
- About CSR for global
- Press Room
- ASUSTOR Inc.
- ASUS Cloud Corporation
- UniMax Electronics Inc.



# P5VD2-X